

PART II.

COLEOPTERA (*CICINDELIDÆ*, *CARABIDÆ*, AND
BUPRESTIDÆ).

BY THOMAS G. SLOANE.

A portion of the collection of Coleoptera, comprising the *Cicindelidæ*, *Carabidæ*, and *Buprestidæ* has been placed in my hands for determination. These consist of:—

CICINDELIDÆ.

THERATES BASALIS, Dej. ; 1 specimen.

TRICONDYLA APTERA, Olivier ; 3 specimens.

CARABIDÆ.

PSEUDOZÆNA TENEBROSA, n. sp. ; 1 specimen.

CHALÆNIUS BINOTATUS, Dej. ; 1 specimen.

This species, of which *Ch. maculifer*, Casteln., is a synonym, is also found in Australia, extending as far south as the Clarence River.

PLATYNUS PAPUENSIS, n. sp. ; 1 specimen.

PERIGONA? sp. ? ; 1 specimen.

A small black Feronid belonging to the *Platynini* ; I am not certain of the genus.

BUPRESTIDÆ.

CYPHOGASTER VENEREA, Thom. ; 1 specimen.

The following are descriptions of the two new species of *Carabidæ*.

PSEUDOZÆNA TENEBROSA, sp. nov.

Black, opaque. Head large, (3 x 4 mm.), mandibles, labrum, and anterior part of forehead smooth, vertex punctate ; clypeal suture lightly marked ; eyes prominent, enclosed behind by strong processes, these extending beyond the eyes in a blunt projection ; antennæ thick, moniliform, incrassate, joints finely punctate. Prothorax hardly broader than head, transverse, ($2\frac{1}{2}$ x $4\frac{1}{4}$ mm.), subcordate ; anterior angles rounded, posterior sharply rectangular ;