

AUSTRALIAN MUSEUM SCIENTIFIC PUBLICATIONS

McKeown, Keith C., 1948. A reference list of types of Coleoptera in The Australian Museum. *Records of the Australian Museum* 22(1): 95–139. [30 June 1948].

doi:10.3853/j.0067-1975.22.1948.593

ISSN 0067-1975

Published by the Australian Museum, Sydney

nature culture **discover**

Australian Museum science is freely accessible online at
<http://publications.australianmuseum.net.au>
6 College Street, Sydney NSW 2010, Australia



A REFERENCE LIST OF TYPES OF COLEOPTERA IN THE AUSTRALIAN MUSEUM.*

By KEITH C. MCKEOWN,

Assistant Entomologist, Australian Museum.

This list of the types of Coleoptera in the Australian Museum has been compiled with the purpose of assisting workers in the Order, as many enquiries are received both from Australian and overseas students regarding the location of certain types.

With the ever-increasing number of described species and the consequent necessity for access to the types, a knowledge of their present location is imperative. The position is rendered difficult by the transfer of material from private collections to institutions such as this, as in the original descriptions the types are stated to be in the author's collection. Certain collections have been acquired by the Australian Museum, and the types are now housed in its collection, e.g., the A. H. Elston Collection, and types from the H. J. Carter Collection.

Especial difficulty is experienced in tracing the Macleay types, since these are to be found both in the Australian Museum and in the Macleay Museum, University of Sydney. The types contained in the Australian Museum might, perhaps, be described as 'type-series', but where they are stated to be 'Holotype and Paratype' in the present list, the specimen bearing the original name label has been selected as the Holotype. Types in the Macleay Museum Collection are not specially indicated as such, and their determination is necessarily a matter of difficulty.

CICINDELIDAE.

Distipsidera mastersi Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 80. Holotype and Paratype.

Megacephala cylindrica Macleay. *Id.*, i, 1863, p. 11. Holotype and Paratype.

Tetracha crucigera Macleay (*Megacephala*). *Id.*, i, 1863, p. 10. Holotype and Paratype.

humeralis Macleay (= *Megacephala australasiae* Hope, 1841). *Id.*, i, 1863, p. 9. Holotype and Paratype.

scapularis Macleay (*Megacephala*). *Id.*, i, 1863, p. 10. Holotype.

CARABIDAE.

Abacetus angustior Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 105. Holotype. *ater* Macleay. *Id.*, ii, 1871, p. 105. Holotype.

Adelotopus analis Macleay. *Id.*, ii, 1871, p. 95. Holotype.

mastersi Macleay. *Id.*, ii, 1871, p. 94. Holotype.

Agonocheila suturalis Macleay. *Id.*, ii, 1871, p. 91. Holotype.

Amblytelus amplipennis Macleay. *Id.*, ii, 1871, p. 106. Holotype and Paratype.

minutus Macleay. *Id.*, ii, 1871, p. 106. Holotype.

Apotomus mastersi Macleay. *Id.*, ii, 1871, p. 95. Holotype.

Argutor foveipennis Macleay (*Prosopogmus*). *Id.*, ii, 1871, p. 110. Holotype.

nitidipennis Macleay (*Prosopogmus*). *Id.*, ii, 1871, p. 111. Holotype.

oodiformis Macleay (*Prosopogmus*). *Id.*, ii, 1871, p. 111. Holotype.

Badister archiomenoides Macleay (= *Microferonia macleayi* Csiki, 1931). *Id.*, ii, 1871, p. 120. Holotype.

* In 1941 the prevailing conditions were such that publication of this paper, prepared in 1939, had to be deferred indefinitely; accordingly in RECORDS OF THE AUSTRALIAN MUSEUM, Vol. xxi, No. 1, on page 56, a note was published announcing the availability of the manuscript for reference. The author, in the intervening period, has kept the list current.—Editor.

- Bembidium amplipenne* Macleay (*Tachys*). *Id.*, ii, 1871, p. 119. Holotype.
atriceps Macleay (= *Tachys fasciatus* Motsch., 1851). *Id.*, ii, 1871, p. 116. Holotype.
bifoveatum Macleay (*Tachys*). *Id.*, ii, 1871, p. 117. Holotype.
bipartitum Macleay (*Trechodes*). *Id.*, ii, 1871, p. 120. Holotype.
bipustulatum Macleay (*Tachys*). *Id.*, ii, 1871, p. 116. Holotype.
bistriatum Macleay (= *Tachys convexus* Macleay, 1871). *Id.*, ii, 1871, p. 115.
 Holotype.
brunnipenne Macleay (*Tachys*). *Id.*, ii, 1871, p. 118. Holotype.
convexum Macleay (*Tachys*). *Id.*, ii, 1871, p. 115. Holotype.
flavipes Macleay (= *Trechodes bipartitus* Macleay, 1871). *Id.*, ii, 1871, p. 119.
 Holotype.
gagatinum Macleay (*Thenarotidus*). *Id.*, ii, 1871, p. 119. Holotype.
ovatum Macleay (= *Tachys bifoveatus* Macleay, 1871). *Id.*, ii, 1871, p. 117.
 Holotype.
punctipenne Macleay (= *Tachys monochrous* Schaum, 1863). *Id.*, ii, 1871, p. 116.
 Holotype.
rubicundum Macleay (= *Tachys flindersi* Blackburn, 1888). *Id.*, ii, 1871, p. 118.
 Holotype.
sexstriatum Macleay (= *Tachys mastersi* Sloane, 1921). *Id.*, ii, 1871, p. 117.
 Holotype.
striolatum Macleay (*Tachys*). *Id.*, ii, 1871, p. 115. Holotype.
transversicolle Macleay (*Tachys*). *Id.*, ii, 1871, p. 116. Holotype.
- Carenum angustipenne* Macleay. *Id.*, ii, 1871, p. 98. Holotype.
coracinum Macleay. *Id.*, i, 1865, p. 178. Holotype.
deauratum Macleay (*Laccoscaphus*). *Id.*, i, 1863, p. 140. Holotype and Paratype.
ovipenne Macleay (= *C. simile* Macleay, 1865). *Id.*, ii, 1871, p. 98. Holotype.
politulum Macleay (= *C. subporcatulum* Macleay, 1865). *Id.*, ii, 1871, p. 98.
 Holotype.
salebrosus Macleay (*Laccoscaphus*). *Id.*, ii, 1871, p. 97. Holotype and Paratype.
viridimarginatum Macleay (= *C. subporcatulum* Macleay, 1865). *Id.*, ii, 1871, p. 97.
 Holotype and Paratype.
- Catascopus chalydicus*. Olliff. *Proc. Linn. Soc. N. S. Wales*, x, 1885, p. 470. Holotype.
Chlaenioidius planipennis Macleay (= *C. prolixus* Erichson, 1842). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 109. Holotype and Paratype.
Clivinia debilis Blackburn. *Proc. Linn. Soc. N. S. Wales*, iv (2), 1889, p. 722. Paratype.
Cyclothorax punctipennis Macleay (*Mecyclothorax*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 105. Holotype.
Dromius humeralis Macleay (= *Microlestes macleayi* Csiki, 1932). *Id.*, ii, 1871, p. 88.
 Holotype.
Drypta mastersi Macleay. *Id.*, ii, 1871, p. 82. Holotype and Paratype.
Eucalyptacola mastersi Macleay (*Catascopus*). *Id.*, ii, 1871, p. 91. Holotype.
Eulebia plagiata Macleay (= *Lebia melanota* Chaudoir, 1871). *Id.*, ii, 1871, p. 87.
 Holotype.
Euryscaphus minor Macleay (= *E. dilatatus* Macleay, 1865). *Id.*, i, 1865, p. 189. Holotype.
Gigadema politulum Macleay (= *G. longipenne* Germar, 1848). *Id.*, ii, 1871, p. 83. Holotype and Paratype.
Harpalus aeneonitens Macleay (*Nemaglossa*). *Id.*, ii, 1871, p. 102. Holotype.
angustatus Macleay (*Diapheromerus*). *Id.*, ii, 1871, p. 102. Holotype.
atroviridis Macleay (*Hypharpax*). *Id.*, ii, 1871, p. 103. Holotype and Paratypes.
convexiusculus Macleay (*Hypharpax*). *Id.*, ii, 1871, p. 102. Holotype and Paratype.
gaydahensis Macleay (*Nemaglossa*). *Id.*, ii, 1871, p. 102. Holotype.
Helluosoma mastersi Macleay (*Epimicodema*). *Id.*, ii, 1871, p. 83. Holotype.
Homothes marginipennis Macleay. *Id.*, ii, 1871, p. 89. Holotype and Paratype.
velutinus Macleay. *Id.*, ii, 1871, p. 88. Holotype.

- Lecanomerus aberrans* Macleay (*Nemaglossa*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 101. Holotype.
ruficeps Macleay (*Nemaglossa*). *Id.*, ii, 1871, p. 100. Holotype and Paratype.
- Lestignathus fugax* Olliff. *Mem. Aus. Mus.*, ii, 1889, p. 80. Holotype.
- Meonis ovicollis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 100. Holotype and Paratype.
- Morio longicollis* Macleay. *Id.*, ii, 1871, p. 95. Holotype.
seticollis Macleay (= *M. novaehollandiae* Castelneau, 1867). *Id.*, ii, 1871, p. 96. Holotype and Paratype.
- Parroa australis* Sloane. *Proc. Linn. Soc. N. S. Wales*, v (2), 1890, p. 236. Holotype.
- Notonomus angustipennis* Macleay (= *N. nitidicollis* Chaudoir, 1865). *Id.*, ii, 1871, p. 109. Holotype.
arthuri Sloane. *Proc. Linn. Soc. N. S. Wales*, iv (2), 1889, p. 1294. Holotype.
cyaneocinctus Macleay (= *N. nitidicollis* Chaudoir, 1865). *Id.*, ii, 1871, p. 108. Holotype.
purpureipennis Macleay (= *N. nitidicollis* Chaudoir, 1865). *Id.*, ii, 1871, p. 107. Holotype.
violaceomarginatus Macleay (= *N. nitidicollis* Chaudoir, 1865). *Id.*, ii, 1871, p. 108. Holotype.
viridicinctus Macleay (= *N. nitidicollis* Chaudoir, 1865). *Id.*, ii, 1871, p. 108. Holotype.
- Nuridus fortis* Sloane. *Proc. Linn. Soc. N. S. Wales*, v (2), 1890, p. 649. Holotype and Paratype.
- Omaseus mastersi* Macleay (= *Rhytisternus hopleurus* Chaudoir, 1865). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 109. Holotype.
- Philophloeus brunnipennis* Macleay. *Id.*, ii, 1871, p. 89. Holotype and Paratype.
maculatus Macleay. *Id.*, ii, 1871, p. 89. Holotype.
vittatus Macleay. *Id.*, ii, 1871, p. 90. Holotype.
- Philoscaphus costatis* Macleay. *Id.*, ii, 1873, p. 324. Holotype.
mastersi Macleay. *Id.*, ii, 1871, p. 96. Holotype and Paratype.
- Phloeidromus piceus* Macleay. *Id.*, ii, 1871, p. 86. Holotype.
- Phloeocarabus mastersi* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 85. Holotype and Paratype.
- Phorticosomus piceus* Sloane. *Proc. Linn. Soc. N. S. Wales*, xl, 1915, p. 465. Holotype and Paratypes.
rugiceps Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 100. Holotype.
- Physolesthus grandipalpis* Macleay. *Id.*, ii, 1871, p. 121. Holotype.
- Plagiotelum opalescens* Olliff. *Proc. Linn. Soc. N. S. Wales*, x, 1885, p. 469. Holotype.
- Platynus nitidipennis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 111. Holotype.
planipennis Macleay (= *Colpodes lafertei* Montrouzier, 1860). *Id.*, ii, 1871, p. 112. Holotype.
marginicollis Macleay (= *Europhilus submetallicus* White, 1846). *Id.*, ii, 1871, p. 112. Holotype and Paratype.
- Poecilus atronitens* Macleay (*Loxandrus*). *Id.*, ii, 1871, p. 110. Holotype and Paratype.
- Promecoderus curvipes* Sloane. *Proc. Linn. Soc. N. S. Wales*, xlv, 1, 1920, p. 126. Paratype.
distinctus Sloane. *Id.*, v (2), 1890, p. 224. Holotype.
politus Sloane. *Id.*, v (2), 1890, p. 218. Holotype.
viridis Macleay (*Parroa*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 99. Holotype.
- Sarothrocrepis fasciata* Macleay. *Id.*, ii, 1871, p. 88. Holotype.
mastersi Macleay. *Id.*, ii, 1871, p. 87. Holotype.
pallida Macleay. *Id.*, ii, 1871, p. 87. Holotype. [Damaged: head and thorax wanting.]

- Scaraphites latipennis* Macleay. *Id.*, i, 1863, p. 66. Holotype.
- Scopodes aeneus* Macleay. *Id.*, ii, 1871, p. 91. Holotype.
angulicollis Macleay. *Id.*, ii, 1871, p. 92. Holotype.
auratus Macleay (*Ectinocola*). *Id.*, ii, 1871, p. 92. Holotype.
laevis Macleay. *Id.*, ii, 1871, p. 92. Holotype.
sericeus Macleay (= *S. sigillatus* Germar, 1848). *Id.*, ii, 1871, p. 93. Holotype.
sydneyensis Sloane (= *S. aterrimus* Chaudoir, 1872). *Proc. Linn. Soc. N. S. Wales*,
 xxviii, 3, 1903, p. 639. Paratype.
- Siagonyx amplipennis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 113. Holotype.
mastersi Macleay. *Id.*, ii, 1871, p. 113. Holotype and Paratype.
- Silphomorpha polita* Macleay. *Id.*, ii, 1871, p. 93. Holotype and Paratype.
- Stenolophus politus* Macleay (= *Acupalpus vestigialis* Erichson, 1842). *Id.*, ii, 1871,
 p. 103. Holotype.
- Teraphis convexa* Sloane (*Phersita*). *Proc. Linn. Soc. N. S. Wales*, xlv, 1, 1920, p. 158.
 Paratype.
- Tibarisus ater* Macleay (*Cratogaster*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 106.
 Holotype and Paratype.
niger Macleay (*Cratogaster*). *Id.*, ii, 1871, p. 107. Holotype and Paratype.
- Trechus ater* Macleay (*Nemaglossa*). *Id.*, ii, 1871, p. 114. Holotype.
atriceps Macleay (*Nemaglossa*). *Id.*, ii, 1871, p. 113. Holotype.
concolor Macleay (*Nemaglossa*). *Id.*, ii, 1871, p. 114. Holotype.
- Xanthophaea chaudiroi* Macleay. *Id.*, ii, 1871, p. 84. Holotype and Paratype.

DYTISCIDAE.

- Barretthydrus gemmatus* Lea. *Rec. South Aus. Mus.*, iii, 3, 1927, p. 279, f. 106.
 Paratypes.
- Copelatus irregularis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 126. Holotype.
- Eunectes punctipennis* Macleay (= *Eretes australis* Erichson, 1842). *Id.*, ii, 1871, p. 127.
 Holotype.
- Hydroporus basalis* Macleay (*Bidessus*). *Id.*, ii, 1871, p. 124. Holotype.
brunnipennis Macleay (= *Macroporus gardneri* Clark, 1862). *Id.*, ii, 1871, p. 122.
 Holotype.
- fossulipennis* Macleay (= *Hyphydrus lyratus* Schwartz, 1808). *Id.*, ii, 1871, p. 122.
 Holotype.
- luridus* Macleay (= *Bidessus bistrigatus* Clark, 1862). *Id.*, ii, 1871, p. 124.
 Holotype.
- mastersi* Macleay (*Bidessus*). *Id.*, ii, 1871, p. 123. Holotype.
nebulosus Macleay (*Chostonectes*). *Id.*, ii, 1871, p. 123. Holotype.

GYRINIDAE.

- Gyrinus convexiusculus* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 128. Holotype.

PAUSSIDAE.

- Arthropterus articularis* Elston. *Trans. Roy. Soc. South Aust.*, xliiii, 1919, p. 342.
 Holotype.
- elongatulus* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 154. Holotype.
- kingi* Macleay. *Id.*, ii, 1871, p. 154. Holotype.
- mastersi* Macleay. *Id.*, ii, 1871, p. 153. Holotype.
- westwoodi* Macleay. *Id.*, ii, 1871, p. 153. Holotype.

CUPIDAE.

- Omnia mastersi* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 169. Holotype.

HYDROPHILIDAE.

- Cyclonotum mastersi* Macleay (= *Coelostoma fabricii* Montrouzier, 1860). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 133. Holotype.
pygmaeum Macleay (*Coelostoma*). *Id.*, ii, 1871, p. 133. Holotype.
Hydatotrepheis mastersi Macleay (*Hydrobius*). *Id.*, ii, 1871, p. 130. Holotype.
Hydraena luridipennis Macleay. *Id.*, ii, 1871, p. 133. Holotype.
Hydrobaticus luridus Macleay (= *Heliochaeres (Hydrobaticus) tristis* Macleay, 1871).
Id., ii, 1871, p. 131. Holotype.
tristis Macleay (*Heliochaeres*). *Id.*, ii, 1871, p. 131. Holotype.
Hydrochus parallelus Macleay. *Id.*, ii, 1871, p. 133. Holotype.
scabricollis Lea. *Trans. Roy. Soc. South Aust.*, i, 1926, p. 47. Paratype.
serricollis Lea. *Id.*, i, 1926, p. 45. Paratypes.
Hydrophilus gayndahensis Macleay (*Hydrous*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 129. Holotype and Paratype.
Hygrotrophus involutus Macleay (*Berosus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 132. Holotype.
Notoberosus zietzi Blackburn. *Trans. Roy. Soc. South Aust.*, xix, 1895, p. 30. Paratype.
Philhydrus elongatulus Macleay (*Enochrus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 130. Holotype.
maculiceps Macleay (*Enochrus*). *Id.*, ii, 1871, p. 130. Holotype.
marmoratus Macleay (*Enochrus*). *Id.*, ii, 1871, p. 130. Holotype.
Pseudohydrobius flavus Lea. *Trans. Roy. Soc. South Aust.*, xliii, 1919, p. 167. Paratypes.
floricola Blackburn. *Id.*, 1898, p. 232. Paratypes.
Sternolophus nitidulus Macleay (= *Hydrobius assimilis* Hope, 1841). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 139. Holotype and Paratype.

CUCUJIDAE.

- Brontes macleayi* Olliff (*Uleiota*). *Proc. Linn. Soc. N. S. Wales*, x (2), 1885, p. 218.
Cucujus colonarius Olliff (*Platisus*). *Id.*, x (2), 1885, p. 207. Holotype.
Isaphes bicolor Olliff (= *Platisus colonarius* Olliff, 1885). *Id.*, x (2), 1885, p. 209. Holotype.
Laemophloeus amabilis Olliff. *Id.*, x (2), 1885, p. 211. Holotype.
conterminus Olliff. *Id.*, x (2), 1885, p. 214. Holotype.
macleayi Olliff. *Id.*, x (2), 1885, p. 216. Holotype.
ramsayi Olliff. *Id.*, x (2), 1885, p. 212. Holotype.
rigidus Olliff. *Id.*, x (2), 1885, p. 216. Holotype and Paratype.
Silvanus castaneus Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 168. Holotype.
congenor Olliff (*Oryzaephilus*). *Proc. Linn. Soc. N. S. Wales*, x (2), 1885, p. 223. Holotype.

COLYDIIDAE.

- Bitoma cylindrica* Carter & Zeck. *Proc. Linn. Soc. N. S. Wales*, lxii, 3-4, 1937, p. 182, pl. vii, f. 4. Holotype.
Bothriдерes kreffti Macleay (= *B. equinus* Pascoe, 1862). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 166. Holotype.
mastersi Macleay. *Id.*, ii, 1871, p. 166. Holotype.
pascoei Macleay (= *B. equinus* Pascoe, 1862). *Id.*, ii, 1871, p. 166. Holotype.
suturalis Macleay (= *B. vittatus* Newman, 1842). *Id.*, ii, 1871, p. 167. Holotype.
Bupala fasciata Carter and Zeck. *Proc. Linn. Soc. N. S. Wales*, lxii, 3-4, 1937, p. 191, pl. ix, f. 13. Holotype.
Cebia communis Carter and Zeck. *Id.*, lxii, 3-4, 1937, p. 194. Holotype and Paratype.
Cryptamorphia optata Olliff. *Id.*, x (2), 1885, p. 221. Holotype.

- Deretaphrus incultus* Carter and Zeck. *Id.*, lxii, 3-4, 1937, p. 201. Holotype.
pascoei Macleay (= *D. ignarus* Pascoe, 1862). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 165. Holotype.
costata Macleay. *Id.*, ii, 1871, p. 165. Holotype.
Euclarkia costata Lea. *Trans. Roy. Soc. South Aust.*, xliii, 1919, p. 180, fig. Paratypes.
Gempylodes tinctus Olliff. *Mem. Aust. Mus.*, ii, 1887, p. 81. Holotype.
Hiketes costatus King (*Nepharis*). *Trans. Ent. Soc. N. S. Wales*, ii, 1869, p. 77. Holotype.
Larinotus umbilicatus Carter and Zeck. *Proc. Linn. Soc. N. S. Wales*, lxii, 3-4, 1937, p. 186, pl. viii, f. 12. Holotype.
Neotrichus acanthacollis Carter and Zeck. *Id.*, lxii, 3-4, 1937, p. 195, pl. ix, f. 15. Holotype.
lucifugus Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 82. Holotype.
Phormosa epitheca Olliff. *Id.*, ii, 1889, p. 83. Holotype.
notata Carter and Zeck. *Proc. Linn. Soc. N. S. Wales*, lxii, 3-4, 1937, p. 189, pl. viii, f. 11. Holotype.
Pycnomerus moestus Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 83. Holotype.
Todima fulvicincta Elston. *Trans. Roy. Soc. South Aust.*, xlv, 1922, p. 310, f. 2. Holotype and Paratype.

TROGOSITIDAE.

- Ancyrona aegra* Olliff. *Proc. Linn. Soc. N. S. Wales*, x (2), 1885, p. 711. Holotype.
amica Olliff. *Proc. Linn. Soc. N. S. Wales*, x (2), 1885, p. 713. Holotype.
latebrosa Olliff. *Id.*, x (2), 1885, p. 712. Holotype.
laticeps Olliff. *Id.*, x (2), 1885, p. 710. Holotype.
vesca Olliff. *Id.*, x (2), p. 713. Holotype.
Leperina burnnettensis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 164. Holotype.
conspicua Olliff. *Proc. Linn. Soc. N. S. Wales*, x (2), 1885, p. 704. Holotype.
fraterna Olliff. *Id.*, x (2), 1885, p. 707. Holotype.
mastersi Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 163. Holotype.
seposita Olliff. *Proc. Linn. Soc. N. S. Wales*, x (2), 1885, p. 702. Holotype.
Ostoma pudicum Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 82, p. vi, f. 7. Holotype and Paratypes.
Phycosecis hilli Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 188. Paratype.
Soronia varigata Macleay (*Neaspis*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 161. Holotype.

NITIDULIDAE.

- Aethinodes variabile* Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 187. Paratype.
Brachypeplus murrayi Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 159. Holotype.
Carpophilus aterrimus Macleay. *Id.*, ii, 1871, p. 161. Holotype.
convexiusculus Macleay. *Id.*, ii, 1871, p. 159. Holotype.
luridipennis Macleay. *Id.*, ii, 1871, p. 160. Holotype.
obscurus Macleay. *Id.*, ii, 1871, p. 160. Holotype.
pilipennis Macleay. *Id.*, ii, 1871, p. 160. Holotype.
Circopes castaneus Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 186. Paratypes.
vagans Lea. *Id.*, vii, 3, 1921, p. 185. Paratypes.
Cychramus niger Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 163. Holotype.
picticollis Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 182. Paratype.
Ips politus Macleay (*Glischrochilus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 163. Holotype.
Nitidula concolor Macleay (*Macroura*). *Id.*, ii, 1871, p. 162. Holotype.
Pocadius pilistriatus Macleay. *Id.*, ii, 1871, p. 162. Holotype.
Pria rubricunda Macleay. *Id.*, ii, 1871, p. 161. Holotype.

MYCETOPHAGIDAE.

Tiphyllus fasciatus Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 170. Holotype.

EROTYLIDAE.

Diplocoelus dilataticollis Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 237. Paratype.

ovatus Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 170. Holotype.

platysomus Lea. *Rec. South Aus. Mus.*, ii, 2, 1922, p. 298. Paratype.

Episcaphula flavofasciata Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 231. Paratypes.

rufolineata Wilson. *Proc. Roy. Soc. Vic.*, xxxiv (N.S.), 1, 1921, p. 35. Paratype.

Thallis melancholica Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 234. Paratypes.

PHALACRIDAE.

Litochrus apiciflavus Lea. *Rec. South Aus. Mus.*, iv, 4, 1932, p. 453, f. 32, 79–81. Paratype.

majorinus Lea. *Id.*, iv, 4, 1932, p. 450, f. 26–27, 70–71. Paratype.

Parasemus australiae Lea. *Id.*, iv, 4, 1932, p. 464, f. 37–39. Paratype.

haploderus Lea. *Id.*, iv, 4, 1932, p. 466, f. 45–46. Paratype.

obsoletus Blackburn. *Trans. Roy. Soc. South Aust.*, xix, 1895, p. 213. Paratype.

tasmaniae Lea. *Rec. South Aust. Mus.*, iv, 4, 1932, p. 465, f. 40–41. Paratype.

GEORYSSIDAE.

Georyssus australis King. *Trans. Ent. Soc. N. S. Wales*, i, 1864, p. 158, pl. 14. Holotype.

kingi Macleay. *Id.*, ii, 1871, p. 172. Holotype.

Georyssus occidentalis Carter. *Proc. Linn. Soc. N. S. Wales*, lvii, 3–4, 1932, p. 101. Holotype.

BOSTRYCHIDAE.

Bostrychus bispinosus Macleay (*Xylobosca*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 276. Holotype and Paratype.

cylindricus Macleay (*Xylion*). *Id.*, ii, 1871, p. 277. Holotype.

Rhyzopertha gibbicollis Macleay (*Xylosocus*). *Id.*, ii, 1871, p. 276. Holotype.

HETEROCERIDAE.

Heterocerus mastersi Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 173. Holotype.

ENDOMYCHIDAE.

Erotendomychus bimaculatus Lea. *Rec. South Aust. Mus.*, ii, 2, 1922, p. 303, pl. iv, f. 10. Paratype.

Geoendomychus pubescens Lea. *Id.*, ii, 2, 1922, p. 304. Paratype.

Stenotarsus pisoniae Lea (*Endomychus*). *Mem. Qld. Mus.*, vii, 3, 1921, p. 239. Paratype.

COCCINELLIDAE.

Rhizobius filicis Lea. *Trans. Roy. Soc. South Aust.*, liii, 1929, p. 242. Paratype.

nigrovarius Lea. *Proc. Roy. Soc. Vic.*, xx (N.S.), 2, 1909, p. 204. Paratype.

noctuabundus Lea. *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 454. Paratype.

viridipennis Lea. *Id.*, liii, 1929, p. 242. Paratype.

Scymnus variiceps Lea. *Id.*, 1929, p. 244. Paratype.

CORYLOPHIDAE.

Aphanocephalus bimaculatus Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 240. Paratype.

potamophilus Lea. *Proc. Linn. Soc. N. S. Wales*, xlvi, 3, 1921, p. 369. Paratype.

DERMESTIDAE.

- Anthrenus nigricans* Macleay (*Thaumaglossa*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 171. Holotype.
- Cryptorhopalum obscurum* Macleay. *Id.*, ii, 1871, p. 171. Holotype.
- Megatoma apicalis* Macleay. *Id.*, ii, 1871, p. 170. Holotype.
- Trinodes globosus* Macleay. *Id.*, ii, 1871, p. 171. Holotype.
- punctipennis* Macleay. *Id.*, ii, 1871, p. 171. Holotype.

BYRRHIDAE.

- Aspidiophorus nigriclavus* Lea. *Rec. South Aust. Mus.*, i, 3, 1920, p. 280. Paratypes.
- Byrrhinus noctivagus* Lea. *Id.*, i, 3, 1920, p. 277. Paratypes.
- Limnichus castaneus* Lea. *Id.*, i, 3, 1920, p. 279. Paratype.
- Microchaetes fascicularis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 171. Holotype.
- minor* King. *Id.*, ii, 1869, p. 73. Holotype.
- tuberculatus* Lea. *Rec. South Aust. Mus.*, i, 3, 1920, p. 275. Paratypes.
- Pedilophorus gemmatus* Lea. *Id.*, i, 3, 1920, p. 282. Paratype.
- globosus* Wilson. *Proc. Roy. Soc. Vic.*, xxxiv (N.S.), 1, 1921, p. 34. Paratype.

HISTERIDAE.

- Abraeus australis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 159. Holotype.
- Acritus halmaturinus* Lea. *Trans. Ent. Soc. Lond.*, 1925, p. 258. Paratype.
- lividus* Lea. *Id.*, 1925, p. 258. Paratypes.
- Byzenia formicola* King (*Chlamydopsis*). *Trans. Ent. Soc. N. S. Wales*, ii, 1869, p. 74. Holotype.
- Chlamydopsis loculosa* Lea. *Trans. Ent. Soc. Lond.*, 1925, p. 254. Paratype.
- setipennis* Oke. *Vict. Nat.*, xl, 8, 1923, p. 154. Paratype.
- Limnichus frontalis* Macleay (*Stictostix*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 172. Holotype.
- Microchaetes costatus* Macleay (*Epiechinus*). *Id.*, ii, 1871, p. 172. Holotype.
- Paromalus cribratus* Lea. *Trans. Ent. Soc. Lond.*, 1924, p. 251. Paratype.
- Platysoma abundans* Lea. *Id.*, 1925, p. 246. Paratype.
- convexiusculum* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 157. Holotype.
- planiceps* Macleay. *Id.*, ii, 1871, p. 157. Holotype.
- subdepressum* Macleay. *Id.*, ii, 1871, p. 157. Holotype.
- Saprinus gayndahensis* Macleay. *Id.*, ii, 1871, p. 158. Holotype.
- mastersi* Macleay. *Id.*, ii, 1871, p. 168. Holotype.

SCAPHIDIIDAE.

- Scaphidium punctipenne* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 156. Holotype.
- Scaphisoma bryophaga* Elston. *Trans. Roy. Soc. South Aust.*, xlv, 1921, p. 144. Holotype and Paratype.
- instabile* Lea. *Trans. Ent. Soc. Lond.*, lxxiv, 1926, p. 280. Paratype.
- novicum* Blackburn. *Trans. Roy. Soc. South Aust.*, xiv, 1891, p. 91. Paratype.
- politum* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 156. Holotype.
- punctipenne* Macleay. *Id.*, ii, 1871, p. 156. Holotype.

SCYDMAENIDAE.

- Heterognathus armitagei* King (*Scydmaenus*). *Trans. Ent. Soc. N. S. Wales*, i, 1864, p. 98. Holotype and Paratype.
- assimilis* King (*Scydmaenus*). *Id.*, i, 1864, p. 97. Holotype and Paratype.
- carinatus* King (*Scydmaenus*). *Id.*, i, 1864, p. 97. Holotype and Paratypes.

- Heterognathus geniculatus* King (*Scydmaenus*). *Id.*, i, 1864, p. 98. Holotype and Paratype.
gracilis King (*Scydmaenus*). *Id.*, i, 1864, p. 97. Holotype and Paratype.
princeps King (*Scydmaenus*). *Id.*, i, 1864, p. 98. Holotype and Paratype.
Megladerus inconspicuum King (*Euthia*). *Id.*, i, 1864, p. 96. Holotype.
Phagonophana abundans Lea. *Proc. Roy. Soc. Vic.*, xxvii (N.S.), 1915, p. 223. Paratype.
kingi King. *Trans. Ent. Soc. N. S. Wales*, i, 1864, p. 92, pl. v, f. A1-4. Holotype.
Scydmaenilla pusilla King. *Id.*, i, 1864, p. 93, pl. vi, f. b1-2. Holotype.
Scydmaenus atrophus Lea. *Proc. Roy. Soc. Vic.*, xxvii (N.S.), 1915, p. 222. Paratype.
corticis King (*Euconnus*). *Trans. Ent. Soc. N. S. Wales*, i, 1864, p. 94. Holotype.
depressus Lea. *Proc. Roy. Soc. Vic.*, xxvii (N.S.), 1915, p. 217. Paratypes.
gulosus King (*Euconnus*). *Trans. Ent. Soc. N. S. Wales*, i, 1864, p. 94. Holotype.
kingi Macleay (*Euconnus*). *Id.*, ii, 1871, p. 155. Holotype.
neglectus King (*Euconnus*). *Id.*, i, 1864, p. 95. Holotype.
parramattensis King (*Euconnus*). *Id.*, i, 1864, p. 95, pl. vii, f. 5. Holotype.
rivularis Lea. *Proc. Roy. Soc. Vic.*, xxvii (N.S.), 1915, p. 219. Paratypes.
seminiger Lea. *Id.*, xxvii (N.S.), 1915, p. 202. Paratypes.

STAPHYLINIDAE.

- Actinus macleayi* Olliff. *Proc. Linn. Soc. N. S. Wales*, ii (2), 1887, p. 495. Holotype and Paratype.
Aleochara actae Olliff (*Eucharina*). *Id.*, i (2), 1886, p. 458. Holotype.
mastersi Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 136. Holotype.
Apphiana veris Olliff. *Proc. Linn. Soc. N. S. Wales*, i (2), 1886, p. 422, pl. vii, f. 1. Holotype.
Atheta australasiae Lea. *Proc. Roy. Soc. Vic.*, xxiii (N.S.), 1910, p. 132. Paratypes.
Bledius mandibularis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 150. Holotype.
Bolitobius fauveli Olliff. *Proc. Linn. Soc. N. S. Wales*, i (2), 1886, p. 905. Holotype.
Cafius amblyterus Olliff. *Proc. Linn. Soc. N. S. Wales*, ii (2), 1887, p. 502. Holotype.
gigas Lea. *Trans. Roy. Soc. South Aust.*, liii, 1929, p. 204. Holotype and Paratype.
laetabilis Olliff (= *Philonthus longicornis* Stephens (1832)). *Proc. Linn. Soc. N. S. Wales*, ii (2), 1887, p. 501. Holotype.
laevus Olliff. *Id.*, ii (2), 1887, p. 503. Holotype.
Calodera eritima Olliff. *Id.*, i (2), 1886, p. 429. Holotype.
pachia Olliff. *Id.*, i (2), 1886, p. 432. Holotype.
pyrrha Olliff. *Id.*, i (2), 1886, p. 429. Holotype.
Cilea lampra Olliff (*Coproporus*). *Id.*, i (2), 1886, p. 900. Holotype.
Conosoma eximum Olliff. *Id.*, i (2), 1886, p. 896. Holotype.
Conurus atriceps Macleay (*Coproporus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 136. Holotype.
elongatulus Macleay (*Tachinomorphus*). *Id.*, ii, 1871, p. 136. Holotype.
rufipalpis Macleay (*Coproporus*). *Id.*, ii, 1871, p. 136. Holotype.
tristis Macleay (*Coproporus*). *Id.*, ii, 1871, p. 136. Holotype.
Cryptobium apicale Macleay. *Id.*, ii, 1871, p. 143. Holotype.
mastersi Macleay. *Id.*, ii, 1871, p. 142. Holotype.
Dabra cuneiformis Olliff. *Proc. Linn. Soc. N. S. Wales*, i (2), 1886, p. 454. Holotype.
myrmecophila Olliff. *Id.*, i (2), 1886, p. 453, p. vii, f. 2. Holotype.
Dolicaon elongatulus Macleay (*Lycaon*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 143. Holotype.
nigripennis Macleay (*Lycaon*). *Id.*, ii, 1871, p. 144. Holotype.
quadraticollis Macleay (*Lycaon*). *Id.*, ii, 1871, p. 143. Holotype.
Hesperus pacificus Olliff. *Proc. Linn. Soc. N. S. Wales*, ii (2), 1887, p. 509. Holotype.
Heterothops kentiae Lea. *Trans. Roy. Soc. South Aust.*, xlix, 1925, p. 238. Paratypes.
rufosuturalis Lea. *Id.*, xlix, 1925, p. 234. Paratype.
ubiquitosus Lea. *Id.*, xlix, 1925, p. 236. Paratypes.

- Homalota australis* Macleay (*Atheta*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 135. Holotype.
- chariessa* Olliff (*Atheta*). *Proc. Linn. Soc. N. S. Wales*, i (2), 1886, p. 418. Holotype.
- molesta* Olliff (*Atheta*). *Id.*, i (2), 1886, p. 415. Holotype.
- pallidipennis* Macleay (*Polylobus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 135. Holotype.
- psila* Olliff (*Atheta*). *Proc. Linn. Soc. N. S. Wales*, i (2), 1886, p. 416. Holotype.
- Ismalus planicollis* Macleay (*Elusis*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 151. Holotype.
- Lathrobium orthodoxum* Lea. *Trans. Roy. Soc. South Aust.*, xlvii, 1923, p. 32, f. 17-18. Paratype.
- piccum* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 144. Holotype.
- politulum* Macleay. *Id.*, ii, 1871, p. 144. Holotype.
- Leptacinus cyaneipennis* Macleay (*Metoponcus*). *Id.*, ii, 1871, p. 137. Holotype.
- luridipennis* Macleay (*Metoponcus*). *Id.*, ii, 1871, p. 137. Holotype.
- megacephalus* Lea. *Trans. Roy. Soc. South Aust.*, xlix, 1925, p. 217. Paratype.
- Lithocharis tristis* Macleay (*Medon*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 144. Holotype.
- Megalops nodipennis* Macleay. *Id.*, ii, 1871, p. 150. Holotype.
- Metoponcus fugitivus* Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 81. Holotype.
- Omalium gayndahense* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 151. Holotype.
- Oxytelus brunneipennis* Macleay. *Id.*, ii, 1871, p. 150. Holotype.
- impressifrons* Macleay. *Id.*, ii, 1871, p. 150. Holotype.
- Oxyroda analis* Macleay (= *Aleochara puberula* Klug, 1832). *Id.*, ii, 1871, p. 135. Holotype.
- Paederus angulicollis* Macleay. *Id.*, ii, 1871, p. 146. Holotype.
- Philonthus australis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 139. Holotype.
- chalybeipennis* Macleay (*Quedius*). *Id.*, ii, 1871, p. 141. Holotype.
- dolichoderes* Lea. *Trans. Roy. Soc. South Aust.*, xlix, 1925, p. 221. Paratype.
- haemorrhoidalis* Macleay (*Hesperus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 140. Holotype.
- politulus* Macleay (*Quedius*). *Id.*, ii, 1871, p. 140. Holotype.
- subcingulatus* Macleay. *Id.*, ii, 1871, p. 141. Holotype.
- xantholinoides* Macleay. *Id.*, ii, 1871, p. 141. Holotype.
- Pinophilus grandiceps* Macleay. *Id.*, ii, 1871, p. 146. Holotype.
- mastersi* Macleay (*Lycaon*). *Id.*, ii, 1871, p. 146. Holotype.
- Polylobus acceptus* Olliff (*Gyrophaena*). *Proc. Linn. Soc. N. S. Wales*, i (2), 1886, p. 441. Holotype.
- fungicola* Olliff (= *P. apicalis* Fauvel, 1877). *Id.*, i (2), 1886, p. 442. Holotype.
- longulus* Olliff. *Id.*, i (2), 1886, p. 440. Holotype.
- notus* Olliff (*Gyrophaena*). *Id.*, i (2), 1886, p. 440. Holotype.
- tasmaniensis* Lea. *Proc. Roy. Soc. Vic.*, xxiii (N.S.), 1, 1910, p. 125. Paratype.
- tenuis* Lea (= *P. longulus* Olliff, 1886). *Id.*, xxv (N.S.), 1912, p. 35. Paratype.
- Scopaeus rotundicollis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 145. Holotype.
- Staphylinus analis* Macleay (*Quedius*). *Id.*, ii, 1871, p. 142. Holotype.
- luridipennis* Macleay (*Quedius*). *Id.*, ii, 1871, p. 142. Holotype.
- Stenus cupreipennis* Macleay. *Id.*, ii, 1871, p. 149. Holotype.
- cylindricus* Macleay (*Astenus*). *Id.*, ii, 1871, p. 145. Holotype.
- gayndahensis* Macleay. *Id.*, ii, 1871, p. 148. Holotype.
- maculatus* Macleay. *Id.*, ii, 1871, p. 148. Holotype.
- olivaceus* Macleay. *Id.*, ii, 1871, p. 148. Holotype.
- puncticollis* Macleay. *Id.*, ii, 1871, p. 149. Holotype.

- Stenus similis* Macleay. *Id.*, ii, 1871, p. 149. Holotype.
viridiaeneus Macleay. *Id.*, ii, 1871, p. 149. Holotype.
Tachyporus rubricollis Macleay (*Coproporus*). *Id.*, ii, 1871, p. 137. Holotype.
Tachyusa coracina Macleay (*Calodera*). *Id.*, ii, 1871, p. 135. Holotype.
Tripectenopus caecus Lea. *Rec. South Aust. Mus.*, i, 1, 1918, p. 84. Paratype.
Xantholinus orthodoxus Olliff. *Proc. Linn. Soc. N. S. Wales*, ii (2), 1887, p. 484. Holotype and Paratype.

PSELAPHIDAE.

- Articerus breviceps* King. *Trans. Ent. Soc. N. S. Wales*, ii, 1869, p. 56. Holotype.
regius King. *Id.*, ii, 1869, p. 55. Holotype.
subcylindricornis Lea. *Trans. Roy. Soc. South Aust.*, xliii, 1919, p. 168, pl. xxv, f. 4. Paratype.
Batrisus conspicuus King. *Trans. Ent. Soc. N. S. Wales*, i, 1863, p. 171. Holotype.
cyclops King. *Id.*, i, 1865, p. 306. Holotype.
barbatus King (*Mesoplatus*). *Id.*, i, 1862, p. 44, pl. v, f. 6a. Holotype.
edwardsi King (*Mesoplatus*). *Id.*, i, 1864, p. 172. Holotype.
elizabethae King. *Id.*, i, 1863, p. 104. Holotype.
gibbosus King. *Id.*, i, 1865, p. 307. Holotype.
hamatus King. *Id.*, i, 1862, p. 45, pl. v, f. 6c. Holotype.
nobilis King. *Id.*, i, 1864, p. 170. Holotype.
tibialis King (*Batrisocenus*). *Id.*, i, 1864, p. 171. Holotype.
Bryaxis aequata King (*Eupines*). *Id.*, i, 1865, p. 310. Holotype.
armitagei King (*Batraxis*). *Id.*, i, p. 1863, p. 104. Holotype.
atriceps Macleay (*Rhybaxis*). *Id.*, ii, 1871, p. 152. Holotype.
basalis King (*Briaria*). *Id.*, i, 1864, p. 172. Holotype.
capitata King (*Bryaxis*). *Id.*, i, 1865, p. 311. Holotype.
clavatula King. *Id.*, i, 1863, p. 104, pl. vii, f. 12. Holotype.
minorum King. *Id.*, i, 1864, p. 173. Holotype.
electrica King (*Anabaxis*). *Id.*, i, 1862, p. 48, pl. xvi, f.g.b. Holotype.
elizabethae King. *Id.*, i, 1863, p. 105, pl. vii, f. 8-9. Holotype.
exigua King. *Id.*, i, 1862, p. 50. Holotype.
geminata King (*Eupines*). *Id.*, i, 1865, p. 311. Holotype.
hirta Macleay (*Batrisus*). *Id.*, ii, 1871, p. 152. Holotype.
hortensis King (*Rybaxis*). *Id.*, i, 1862, p. 47. Holotype.
insignis King (*Rybaxis*). *Id.*, i, 1864, p. 172. Holotype.
linearis King (*Euplectops*). *Id.*, i, 1863, p. 46, pl. v, f. 7b. Holotype.
lunatica King. *Id.*, i, 1862, p. 48, pl. 16, f. 8b. Holotype.
polita King (*Eupines*). *Id.*, i, 1862, p. 49. Holotype.
sculpta King (*Euplectops*). *Id.*, i, 1863, p. 49. Holotype.
transversa King (*Eupines*). *Id.*, i, 1865, p. 311. Holotype.
victoriae King (*Eupines*). *Id.*, i, 1865, p. 310. Holotype.
Bythinus impressifrons King (*Bryaxis*). *Id.*, i, 1865, p. 173. Holotype.
Collacerothorax spinicollis Wilson. *Proc. Roy. Soc. Vic.*, xxxv (N.S.), 2, 1923, p. 122. Paratype.
Ctenisophus curvipes Elston. *Trans. Roy. Soc. South Aust.*, xlv, 1923, p. 143, fig. Holotype.
rivularis Lea. *Proc. Roy. Soc. Vic.*, xxiii, 1, 1910, p. 156. Paratype.
Ctenistes kreusleri King (*Ctenisophus*). *Trans. Ent. Soc. N. S. Wales*, i, 1866, p. 300. Holotype.
Cyathiger punctatus King. *Id.*, i, 1865, p. 174, pl. xiv. Holotype.
Eupines mira Lea. *Proc. Linn. Soc. N. S. Wales*, xxxv, 4, 1910, p. 721. Paratypes.
Euplectus depressus King (*Euplectops*). *Trans. Ent. Soc. N. S. Wales*, i, 1866, p. 313. Holotype.

- Euplectus excisus* King (*Deroplectus*). *Id.*, i, 1866, p. 313. Holotype.
odewahni King (*Euplectops*). *Id.*, i, 1866, p. 314. Holotype.
subterraneus King (*Euplectops*). *Id.*, i, 1866, p. 314. Holotype.
- Faronus punctatus* King. *Id.*, i, 1864, p. 168. Holotype.
- Leanyms mirus* Lea. *Trans. Roy. Soc. South Aust.*, xliii, 1919, p. 167, pl. xxv, f. 1-3. Paratypes.
- Narcodes pulchra* King (= *N. varia* King, 1863). *Trans. Ent. Soc. N. S. Wales*, i, 1863, p. 39. Holotype.
varia King. *Id.*, i, 1863, p. 38. Holotype and Paratype.
- Palimboldus armatipes* Wilson. *Proc. Roy. Soc. Vic.*, xxxv (N.S.), 2, 1923, p. 125. Paratype.
robusticornis Wilson. *Id.*, xxxv, 2, 1923, p. 126. Paratype.
- Pselaphus clavatus* King (= *Rybaxis atriventris* Westwood, 1856). *Trans. Ent. Soc. N. S. Wales*, i, 1864, p. 169. Holotype.
elstoni Wilson. *Proc. Roy. Soc. Vic.*, xxxix (N.S.), 1, 1926, p. 32. Paratype.
lineatus King. *Trans. Ent. Soc. N. S. Wales*, i, 1862, p. 43. Holotype.
punctatus King (*Curculionellus*). *Id.*, i, 1864, p. 169. Holotype.
strigosus Wilson. *Proc. Roy. Soc. Vic.*, xxxix (N.S.), 1, 1926, p. 29. Paratypes.
- Rybaxis bryophila* Lea (= *R. tibialis* Raffray, 1909). *Proc. Linn. Soc. N. S. Wales*, xxxv, 4, 1910, p. 743. Paratypes.
longipilosus Wilson var. *picea* Wilson. *Proc. Roy. Soc. Vic.*, xxxv (N.S.), 2, 1923, p. 119. Paratypes.
- Rytus corniger* King. *Trans. Ent. Soc. N. S. Wales*, i, 1865, p. 303. Holotype.
emarginatus King. *Id.*, i, 1865, p. 303. Holotype.
- Schistodactylus armipectus* Wilson. *Proc. Roy. Soc. Vic.*, xxxv (N.S.), 2, 1923, p. 123. Paratype.
gracilis Wilson. *Id.*, xxxix (N.S.), 1, 1926, p. 25. Paratypes.
- Tmesiphorus formicarius* Macleay (*Temnosternus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1873, p. 370. Holotype and Paratype.
kingi Macleay (*Tmesisternus*). *Id.*, ii, 1871, p. 151. Holotype and Paratype.
macleayi King (*Tmesisternus*). *Id.*, i, 1863, p. 40. Holotype.
vernalis King (*Ctenistes*). *Id.*, i, 1863, p. 40. Holotype.
- Tychus howitti* King (*Tyraphus*). *Id.*, i, 1864, p. 170. Holotype.
nigricollis King (*Eupines*). *Id.*, i, 1863, p. 103. Holotype.
obliquus King. *Id.*, i, 1864, p. 170. Holotype and Paratype.
- Tyrus formosus* King (*Schaufussia*). *Id.*, i, 1863, p. 41, pl. v, f. 4a. Holotype.
palpalis King (*Gerallus*). *Id.*, i, 1863, p. 42, pl. v, f. 5a. Holotype.
piceus King. *Id.*, i, 1865, p. 301. Holotype.
speciosus King. *Id.*, i, 1864, p. 168. Holotype and Paratype.

TRICHOPTERYGIDAE.

- Rodwayia orientalis* Lea. *Tas. Nat.*, i, 3, 1907, p. 16, fig. Paratype.

LAMPYRIDAE.

- Atyphella flammans* Olliff. *Proc. Linn. Soc. N. S. Wales*, iv (2), 1890, p. 651. Holotype.
lychnus Olliff. *Id.*, iv (2), 1890, p. 647. Holotype and larva.
oliveri Lea. *Id.*, xl, 3, 1915, p. 494. Paratypes.
scintellans Olliff. *Id.*, iv (2), 1890, p. 650. Holotype.
- Luciola flavicollis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 263. Holotype and Paratype.
inconspicua Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 187. Paratypes.
pubica Olliff. *Trans. Ent. Soc. N. S. Wales*, iii (2), 1889, p. 652. Holotype.

LYCIDAE.

- Callochromus dentipes* Lea. *Trans. Ent. Soc. Lond.*, 1909, p. 105. Paratype.
guérini Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 263. Holotype and Paratype.
Metriorrhynchus femoralis Macleay. *Id.*, ii, 1872, p. 262. Holotype and Paratype.
marginicollis Macleay (= *M. lateralis* Redtenbacher, 1867). *Id.*, ii, 1872, p. 253. Holotype and Paratype.
minor Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 190. Paratype.
nigripes Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 262. Holotype and Paratypes.

TELEPHORIDAE.

- Heteromastix melanocephalus* Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 201. Paratype.
perabundans Lea. *Trans. Ent. Soc. Lond.*, 1909, p. 144. Paratypes.
Heteromastix tibialis Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 204. Paratype.
Ichthyurus depressicollis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 264. Holotype.
Malachius luridicollis Macleay (*Heteromastix*). *Id.*, ii, 1872, p. 265. Holotype.
Telephorus apterus Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 86, pl. vi, f. 3. Holotype and Paratype.
atricornis Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 199. Paratype.
flavipennis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 264. Holotype and Paratype.
mastersi Macleay. *Id.*, ii, 1872, p. 264. Holotype and Paratype.
ruficollis Macleay. *Id.*, ii, 1872, p. 264. Holotype and Paratype.
variiventris Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 199. Paratype.

MELYRIDAE.

- Balanophorus mastersi* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 267. Holotype.
Carpurus apicalis Macleay. *Id.*, ii, 1872, p. 266. Holotype.
azureipennis Macleay. *Id.*, ii, 1872, p. 266. Holotype.
cyaneipennis Macleay. *Id.*, ii, 1872, p. 265. Holotype.
elongatus Macleay. *Id.*, ii, 1872, p. 266. Holotype.
pallidipennis Macleay. *Id.*, ii, 1872, p. 267. Holotype.
pisoniae Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 208, pl. xiii. Paratypes.
Dasytes abdominalis Lea. *Trans. Roy. Soc. South Aust.*, xlv, 1921, p. 133. Paratype.
blackburni Lea. *Proc. Roy. Soc. Vic.*, xxvi (N.S.), 1914, p. 211. Paratype.
squiresensis Blackburn. *Trans. Roy. Soc. South Aust.*, xvi, 1892, p. 38. Paratypes.
subellipticus Lea. *Mem. Qld. Mus.*, vii, 1921, p. 215. Paratypes.
Helcogaster apicicornis Lea. *Trans. Roy. Soc. South Aust.*, xlv, 1921, p. 125. Paratypes.
hackeri Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 213. Paratypes.
imperator Lea. *Trans. Roy. Soc. South Aust.*, xlv, 1921, p. 110. Paratypes.
insignicornis Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 212. Paratype.
litoralis Lea. *Trans. Roy. Soc. South Aust.*, xlv, 1921, p. 112. Paratypes.
medioflavus Lea. *Id.*, xlv, 1921, p. 113. Paratype.
Hypattalus minutus Lea. *Id.*, xlv, 1921, p. 94. Paratype.
Laius aulacophorides Lea. *Id.*, xli, 1917, p. 138, pl. xiii, f. 19, 43-44. Paratype.
concaivfrons Lea. *Id.*, xli, 1917, p. 135, pl. 23, f. 16, 39. Paratype.
eyrensis Blackburn. *Proc. Linn. Soc. N. S. Wales*, vi (2), 1891, p. 531. Paratype.
filamentarius Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 136, pl. xxiii, f. 17, 40. Paratype.
mastersi Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 265. Holotype.
melanoderes Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 130, pl. xxiii, f. 10, 32-33. Paratype.
quinquenotatus Lea. *Id.*, xli, 1917, p. 140, pl. xiii, f. 23, 49-50. Paratype.

CLERIDAE.

- Aulicus foveicollis* Macleay (*Phlogistus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 272.
Holotype and Paratype.
rufipes Macleay (*Phlogistus*). *Id.*, ii, 1872, p. 272. Holotype.
- Cleromorpha albohirta* Elston. *Trans. Roy. Soc. South Aust.*, liii, 1929, p. 348. Holotype.
ruficollis Elston. *Id.*, liii, 1929, p. 349. Holotype.
- Clerus apicalis* Macleay (*Phlogistomorpha*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 271. Holotype.
mastersi Macleay (*Phlogistomorpha*). *Id.*, ii, 1872, p. 271. Holotype and Paratype. [Paratype lacking head and thorax.]
- Cylidrus basalis* Macleay. *Id.*, ii, 1872, p. 268. Holotype and Paratype.
- Eleale aenea* Elston. *Trans. Roy. Soc. South Aust.*, xlvi, 1922, p. 317. Holotype.
amoena Elston. *Id.*, xlv, 1921, p. 157. Holotype and Paratypes.
angularis Elston. *Id.*, xlv, 1921, p. 161. Holotype.
apicalis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 274. Holotype and Paratype.
carinaticollis Elston. *Trans. Roy. Soc. South Aust.*, xlv, 1921, p. 152. Holotype.
elongatula Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 274. Holotype and Paratype.
fasciata Macleay. *Id.*, ii, 1872, p. 273. Holotype and Paratype. [Paratype wanting head and thorax.]
globicollis Elston. *Trans. Roy. Soc. South Aust.*, xlv, 1921, p. 162. Paratype.
hirticollis Elston. *Id.*, xlv, 1921, p. 165. Holotype and Paratype.
illaetabilis Elston. *Id.*, xlv, 1921, p. 153. Holotype and Paratypes.
latipennis Elston. *Id.*, xlv, 1921, p. 163. Holotype and Paratype.
margaritacea Elston. *Id.*, xlv, 1921, p. 154. Paratypes.
pallidipennis Elston. *Id.*, xlv, 1921, p. 151. Paratype.
parollela Elston. *Id.*, xlv, 1921, p. 159. Holotype and Paratype.
perplexa Elston. *Id.*, xlv, 1921, p. 164. Paratypes.
reticulata Elston. *Id.*, xlv, 1921, p. 158. Holotype and Paratype.
robusta Elston. *Id.*, xlv, 1921, p. 155. Holotype and Paratype.
spinicornis Elston. *Id.*, xlv, 1921, p. 160. Paratypes.
viridicollis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 274. Holotype and Paratype.
- Lemidia auricoma* Elston. *Trans. Roy. Soc. South Aust.*, xliii, 1919, p. 344. Paratype.
basiflava Elston. *Id.*, xliii, 1919, p. 343. Paratypes.
basiflava Elston var. *fasciata* Elston. *Id.*, xliii, 1919, p. 344. Paratype.
eborea Elston. *Id.*, l, 1926, p. 280. Paratype.
flavicollis Elston. *Id.*, xliii, 1919, p. 346. Paratype.
miniatura Elston. *Id.*, l, 1926, p. 281. Holotype.
variabilis Elston. *Id.*, xliii, 1919, p. 345. Paratype.
wilsoni Elston. *Id.*, l, 1926, p. 281. Holotype.
- Natalis mastersi* Macleay (*Eunatalis*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 269. Holotype.
- Odontophlogistus similis* Elston. *Trans. Roy. Soc. South Aust.*, liii, 1929, p. 349. Holotype.
- Opilus incertus* Macleay (*Opilo*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 269. Holotype.
- Orthrius duplopunctatus* Elston. *Trans. Roy. Soc. South Aust.*, xlvii, 1923, p. 212, pl. xv. f. 2. Holotype.
- Phlogistus agraphus* Elston. *Id.*, xlvi, 1922, p. 312. Holotype and Paratype.
conspiciendus Elston. *Id.*, l, 1926, p. 282. Paratype.
leucosmus Elston. *Id.*, xlvi, 1922, p. 314. Holotype.
rubriventris Elston (*Odontophlogistus*). *Id.*, xlvi, 1922, p. 313. Holotype and Paratype.

- Phlogistus ungulatus* Elston (*Odontophlogistus*). *Id.*, xlvi, 1922, p. 314. Holotype and Paratypes.
- Pylus okei* Elston. *Id.*, liii, 1929, p. 351. Holotype.
pallipes Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 275. Holotype.
- Pylusopus chrysocome* Elston. *Trans. Roy. Soc. South Aust.*, liii, 1929, p. 352. Holotype and Paratype.
- Stigmatium laevius* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 270. Holotype and Paratype.
mastersi Macleay. *Id.*, ii, 1872, p. 269. Holotype and Paratype.
ventrale Macleay. *Id.*, ii, 1872, p. 270. Holotype and Paratype.
- Tarsostenodes leucogramma* Elston. *Trans. Roy. Soc. South Aust.*, xlvi, 1922, p. 316. Holotype and Paratypes.
- Tarsosternus mastersi* Macleay (*Tarsostenus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 273. Holotype.
pulcher Macleay (*Tarsostenodes*). *Id.*, ii, 1872, p. 272. Holotype.
- Tenerus parvus* Elston. *Trans. Roy. Soc. South Aust.*, liii, 1929, p. 351. Holotype.
ruficollis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 275. Holotype.
tumidicollis Elston. *Trans. Roy. Soc. South Aust.*, liii, 1929, p. 350. Holotype.
- Thanasimus sculptus* Macleay (*Phlogistus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 271. Holotype and Paratype.
- Trogodendron tenebricosum* Elston. *Trans. Roy. Soc. South Aust.*, xlv, 1921, p. 147. Holotype.

LYMEXYLONIDAE.

- Hylecoetus pervagus* Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 87. Holotype.

DASCYLLIDAE.

- Dascillus brevicornis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 313. Holotype. [Wanting abdomen.]
- oblongus* Carter (*Epilichas*). *Proc. Linn. Soc. N. S. Wales*, lv, 5, 1930, p. 549. Holotype.
serraticornis Carter (*Epilichas*). *Id.*, liv, 2, 1929, p. 72. Holotype.
- Elodes davidsoni* Carter. *Id.*, lx, 3-4, 1935, p. 192. Holotype.
- Epilichas variegatus* Carter. *Id.*, lx, 3-4, 1935, p. 187. Holotype.
- Macrohelodes montanus* Lea. *Trans. Roy. Soc. South Aust.*, xliii, 1919, p. 250. Paratype.
vittatus Carter. *Proc. Linn. Soc. N. S. Wales*, lx, 3-4, 1935, p. 189. Holotype.
- Notodascillus sublineatus* Carter. *Id.*, lx, 3-4, 1935, p. 186, f. 2. Holotype.
- Trichelodes delicatula* Carter. *Id.*, lx, 3-4, 1935, p. 189, f. 1. Holotype.

RHIPIDOCERIDAE.

- Psacus mastersi* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 313. Holotype.

PTINIDAE.

- Anapestus kreusleri* King (*Ectrephes*). *Trans. Ent. Soc. N. S. Wales*, i, 1866, p. 317, pl. xvi, f. 1. Holotype.
- Diphobia familiaris* Olliff. *Proc. Linn. Soc. N. S. Wales*, x (2), 1886, p. 838. Holotype.
- Diplocotes foveicollis* Olliff. *Id.*, x (2), 1886, p. 839. Holotype.
- Dorcatoma corticalis* Lea. *Trans. Roy. Soc. South Aust.*, xlvi, 1924, p. 57. Paratype.
punctilatera Lea. *Id.*, xlvi, 1924, p. 62, f. 37. Paratypes.
- Dryophiloides albatrus* Lea. *Id.*, xlvi, 1924, p. 33. Paratypes.
apicipennis Lea. *Id.*, xlvi, 1924, p. 27. Paratype.
basicollis Lea. *Id.*, xlvi, 1924, p. 24. Paratype.
brunneipennis Lea. *Id.*, xlvi, 1924, p. 27. Paratype.

- Dryophiloides flavipalpis* Lea. *Id.*, xviii, 1924, p. 30. Paratype.
latipennis Lea. *Id.*, xviii, 1924, p. 34. Paratypes.
latus Lea. *Id.*, xviii, 1924, p. 22. Paratype.
melanostethus Lea. *Id.*, xviii, 1924, p. 31. Paratype.
subcylindricus Lea. *Id.*, xviii, 1924, p. 31. Paratype.
subcylindricus Lea var. *brunneus* Lea. *Id.*, xviii, 1924, p. 32. Paratype.
subhumeralis Lea. *Id.*, xviii, 1924, p. 29. Paratype.
ubiquitosus Lea. *Id.*, xviii, 1924, p. 35. Paratypes.
vigilans Lea. *Id.*, xviii, 1924, p. 36. Paratypes.
- Enasiba tristis* Olliff. *Proc. Linn. Soc. N. S. Wales*, x (2), 1886, p. 839. Holotype.
- Pronus marmoratus* Lea. *Trans. Roy. Soc. Aust.*, xviii, 1924, p. 51. Paratype.
subhumeralis Lea. *Id.*, xviii, 1924, p. 51. Paratypes.
- Ptinus adeps* Olliff. *Proc. Linn. Soc. N. S. Wales*, x (2), 1886, p. 834. Holotype.
albomaculatus Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 276. Holotype.
attritus Olliff. *Proc. Linn. Soc. N. S. Wales*, x (2), 1886, p. 835. Holotype.
australiae Lea. *Trans. Roy. Soc. South Aust.*, xvii, 1923, p. 356. Paratypes.
egenus Olliff. *Proc. Linn. Soc. N. S. Wales*, x (2), 1886, p. 836. Holotype.
eminens Olliff. *Id.*, x (2), 1886, p. 834. Holotype.
longus Olliff. *Id.*, x (2), 1886, p. 837. Holotype.
- Secretipes xanthorrhoeae* Lea. *Trans. Roy. Soc. South Aust.*, xviii, 1924, p. 43, f. 14, 19. Paratype.
- Trypopytis multimaculatus* Lea. *Id.*, xviii, 1924, p. 41. Paratype.

DRYOPIDAE.

- Austrolimnius atriceps* Carter and Zeck. *Aust. Zool.*, vii, 3, 1932, p. 203, pl. xii, f. 6. Holotype.
diemenensis Carter and Zeck. *Id.*, viii, 2, 1935, p. 79, pl. vii, f. 1. Holotype.
luridus Carter and Zeck. *Id.*, vi, 1, 1929, p. 62, pl. vi, f. 78. Holotype.
oblongus Carter and Zeck. *Id.*, vii, 5, 1933, p. 372, pl. xix, f. 5. Holotype.
suffusus Carter and Zeck. *Id.*, viii, 2, 1935, p. 80, pl. vii, f. 2. Holotype.
variabilis Carter and Zeck. *Id.*, vii, 3, 1932, p. 203, pl. xii, f. 8. Holotype.
victoriensis Carter and Zeck. *Id.*, vi, 1, 1929, p. 61, pl. ii, f. 10. Holotype.
- Coxelmis trinotata* Carter and Zeck. *Id.*, vi, 1, 1929, p. 67, pl. iv, f. 28. Holotype.
- Elmis montanus* King (*Austrolimnius*). *Trans. Ent. Soc. N. S. Wales*, i, 1864, p. 160. Holotype.
metallicus King (*Kingolus*). *Id.*, i, 1864, p. 160. Holotype.
novemnotatus King (*Coxelmis*). *Id.*, i, 1864, p. 159. Holotype.
politus King (*Austrolimnius*). *Id.*, i, 1864, p. 160. Holotype and Paratype.
- Helmis barretti* Carter (*Notriolus*). *Proc. Linn. Soc. N. S. Wales*, li, 4, 1926, p. 506. Holotype and Paratype.
cupreus Carter (*Kingolus*). *Id.*, li, 4, 1926, p. 507. Holotype.
maculatus Carter (*Notriolus*). *Id.*, li, 4, 1926, p. 507. Holotype and Paratype.
purpurea Carter (*Simsonia*). *Id.*, li, 4, 1926, p. 508. Holotype.
quadriplagiata Carter (*Notriolus*). *Id.*, li, 2, 1926, p. 63. Paratype.
- Kingolus flavoplagiatus* Carter and Zeck. *Aust. Zool.*, vi, 1, 1929, p. 54, pl. i, f. 3. Paratype.
flavosignatus Carter and Zeck. *Id.*, vi, 1, 1929, p. 55. Holotype.
heroni Carter and Zeck. *Id.*, vi, 1, 1929, p. 56, pl. vi, f. 75. Holotype.
tinctus Carter and Zeck. *Id.*, vi, 1, 1929, p. 57, pl. i, f. 7. Holotype.
tyrrhenus Carter and Zeck. *Id.*, vi, 1, 1929, p. 56, pl. i, f. 6. Holotype and Allotype.
yarrensis Carter and Zeck. *Id.*, vi, 1, 1929, p. 57. Holotype.
- Limnius quattuormaculatus* King (*Kingolus*). *Trans. Ent. Soc. N. S. Wales*, i, 1864, p. 161. Holotype and Paratypes.

- Lutochrus australis* King (*Hydrethus*). *Id.*, i, 1864, p. 159. Holotype.
- Notriolus davidsoni* Carter and Zeck. *Aust. Zool.*, viii, 3, 1936, p. 156, pl. xi, f. 1, 6. Holotype.
- dorrigoensis* Carter and Zeck. *Id.*, vi, 1, 1929, p. 64, pl. vii, f. 81. Holotype and Paratype.
- galstonius* Carter and Zeck. *Id.*, vi, 1, 1929, p. 65, pl. vii, f. 82. Holotype.
- humeralis* Carter and Zeck. *Id.*, vi, 1, 1929, p. 65, pl. iv, f. 25. Holotype.
- minor* Carter and Zeck. *Id.*, vii, 3, 1932, p. 204. Holotype.
- minutus* Carter and Zeck. *Id.*, ix, 2, 1938, p. 171, pl. xiv, f. 1, 5. Holotype.
- setosus* Carter and Zeck. *Id.*, viii, 3, 1936, p. 156. Holotype.
- subplanatus* Carter and Zeck. *Id.*, vi, 1, 1929, p. 66, pl. vii, f. 83. Holotype.
- taylori* Carter and Zeck. *Id.*, viii, 3, 1936, p. 157, fig. Holotype and Paratype.
- tropicus* Carter and Zeck. *Id.*, ix, 2, 1938, p. 171, pl. xiv, f. 4, 8. Holotype.
- victoriae* Carter and Zeck. *Id.*, vi, 1, 1929, p. 66, pl. ii, f. 12. Holotype.
- Simsonia allmani* Carter and Zeck. *Id.*, viii, 3, 1936, p. 158, pl. xi, f. 4. Holotype.
- angusta* Carter and Zeck. *Proc. Linn. Soc. N. S. Wales*, li, 2, 1926, p. 62. Holotype.
- brooksi* Carter and Zeck. *Aust. Zool.*, ix, 2, 1938, p. 170, pl. xiv, f. 3, 9. Holotype.
- cotterensis* Carter and Zeck. *Id.*, vii, 5, 1933, p. 371, pl. xix, f. 1. Paratype.
- hopsoni* Carter and Zeck. *Id.*, vi, 1, 1929, p. 58, pl. iii, f. 24. Holotype.
- irregularis* Carter and Zeck. *Id.*, vi, 1, 1929, p. 60, pl. ii, f. 14. Holotype.
- longipes* Carter and Zeck. *Id.*, vii, 5, 1933, p. 371, pl. xix, f. 3. Holotype.
- Stetholus elongatus* Carter and Zeck. *Id.*, vi, 1, 1929, p. 53, pl. ii, f. 16. Holotype.
- laticeps* Carter and Zeck. *Id.*, vii, 3, 1932, p. 202. Holotype.

BUPRESTIDAE.

- Agrilus bispinosus* Carter. *Proc. Linn. Soc. N. S. Wales*, xlix, 2, 1924, p. 28. Holotype.
- deauratus* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 249. Holotype.
- mastersi* Macleay. *Id.*, ii, 1872, p. 249. Holotype.
- semiviridis* Carter. *Proc. Linn. Soc. N. S. Wales*, xlix, 2, 1924, p. 29. Holotype.
- Anilara subimpressa* Carter. *Id.*, lxi, 1-2, 1936, p. 104. Holotype ♂.
- Anthaxia cupripes* Macleay (*Neotorresita*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 242. Holotype and Paratype.
- nigra* Macleay (= *Pseudanilara purpureicollis* Macleay, 1872). *Id.*, ii, 1872, p. 243. Holotype.
- purpureicollis* Macleay (*Pseudanilara*). *Id.*, ii, 1872, p. 242. Holotype.
- Aphanisticus browni* Carter. *Proc. Linn. Soc. N. S. Wales*, xlix, 2, 1924, p. 32. Holotype.
- Astraeus mastersi* Macleay (= *A. samouelli* Hope, 1868, var. *mastersi* Macleay). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 239. Holotype.
- Bubastes subflavipennis* Carter. *Trans. Roy. Soc. South Aust.*, lxi, 1937, p. 122, pl. v, f. 1. Holotype.
- Buprestodes coruscans* Carter. *Proc. Linn. Soc. N. S. Wales*, xlix, 2, 1924, p. 24. Holotype ♀.
- varigata* Carter. *Id.*, xlix, 2, 1924, p. 24. Holotype ♂.
- Chrysobothris coelatus* Carter. *Id.*, l, 3, 1925, p. 227. Holotype ♂ and Paratype ♀.
- mastersi* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 247. Holotype.
- octomaculata* Carter. *Proc. Linn. Soc. N. S. Wales*, l, 3, 1925, p. 228. Holotype.
- saundersi* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 246. Holotype and Paratype.
- viridis* Macleay. *Id.*, ii, 1872, p. 247. Holotype and Paratype.
- Cisseis aurocyanea* Carter. *Proc. Linn. Soc. N. S. Wales*, lix, 3-4, 1934, p. 258. Holotype.
- browni* Carter. *Id.*, lix, 3-4, 1934, p. 258. Holotype.
- dimidiata* Macleay (= *Ethon chrysopygia* Germar, 1848). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 248. Holotype and Paratype.

- Cisseis elliptica* Carter. *Proc. Linn. Soc. N. S. Wales*, xlviii, 2, 1923, p. 170. Holotype.
goerlingi Carter. *Id.*, lxi, 1-2, 1936, p. 104. Holotype.
heroni Carter. *Id.*, lix, 3-4, 1934, p. 259. Holotype ♂.
impressicollis Macleay (= *C. roseocuprea* Hope, 1846). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 248. Holotype.
inflammata Carter. *Proc. Linn. Soc. N. S. Wales*, xlviii, 2, 1923, p. 167. Holotype and Allotype.
laticollis Carter. *Id.*, xlviii, 2, 1923, p. 169. Paratypes.
laticollis Carter var. *cyanopyga* Carter. *Id.*, xlviii, 2, 1923, p. 170. Paratype.
myallae Carter. *Id.*, lix, 3-4, 1934, p. 260. Holotype.
nitidiventris Carter. *Id.*, lix, 3-4, 1934, p. 260. Holotype.
patricia Carter. *Id.*, lx, 3-4, 1935, p. 180. Holotype.
sapphira Carter. *Id.*, lviii, 3-4, 1933, p. 163. Holotype.
sub-bifascialis Carter. *Id.*, lii, 3, 1927, p. 229. Holotype.
tyrrhena Carter. *Id.*, xlviii, 2, 1923, p. 168. Holotype.
viridiaurea Macleay (*Ethon*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 248. Holotype and Paratype.
viridipurpurea Carter. *Proc. Linn. Soc. N. S. Wales*, xlix, 2, 1924, p. 27. Holotype.
Coraeus marmoratus Macleay (= *Ethon suturalis* Saunders, 1868). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 248. Holotype and Paratype.
Curis atrocyanea Carter. *Proc. Linn. Soc. N. S. Wales*, lvii, 3-4, 1932, p. 103. Holotype ♂.
splendens Macleay (*Neocuropsis*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 244. Holotype and Paratype.
venusta Carter. *Trans. Roy. Soc. South Aust.*, lxi, 1937, p. 126, pl. vii (col.). Holotype and Allotype.
Diadoxus erythrurus White, 1843, var. *septentrionalis* Carter. *Proc. Linn. Soc. N. S. Wales*, lix, 3-4, 1934, p. 252. Paratype.
Ethon breve Carter. *Id.*, xlviii, 2, 1923, p. 160. Holotype and Allotype.
latipennis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 247. Holotype and Paratype.
leai Carter. *Proc. Linn. Soc. N. S. Wales*, xlix, 2, 1924, p. 26. Paratype.
roei Saunders, 1868, var. *obscurum* Carter. *Id.*, lix, 3-4, 1934, p. 261. Holotype.
Mastogenius frenchi Théry. *Id.*, liii, 4, 1928, p. 456, fig. Paratype.
Melobasis apicalis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 241. Holotype.
aurocyanea Carter. *Trans. Roy. Soc. South Aust.*, lxi, 1937, p. 123. Holotype ♂.
azureipennis Macleay (= *M. cyaneipennis* Boheman, 1858). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 240. Holotype and Paratype.
browni Carter (= *M. rothei* Blackburn, 1887). [? MSS. See note under *cupricauda* Carter.] Paratype.
browni Carter. *Trans. Roy. Soc. South Aust.*, lxi, 1937, p. 124. Holotype.
convexicollis Carter (= *M. cuprina* Kerremans, 1898). [? MSS. See note under *cupricauda* Carter.] Paratypes ♂, ♀.
costata Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 240. Holotype and Paratype.
cupricauda Carter (= *M. igniceps* Saunders, 1876). [Specimens in the Museum Collection bear labels in Mr. Carter's writing giving the synonymy as above. In *Trans. Ent. Soc. Lond.*, 1923, p. 71, re *igniceps*, is the following note: "Before seeing the type I had described this in MSS. for examples in the Sydney and Melbourne Museums".] Paratypes ♂ and ♀.
empyria Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 85. Holotype.
fasciata Carter. *Trans. Ent. Soc. Lond.*, 1923, p. 98. Paratype.
impressa Carter. *Proc. Linn. Soc. N. S. Wales*, lxi, 1-2, 1936, p. 102. Holotype.

- Melobasis macleayi* Carter (= *M. macleayana* Obenberger, 1930). *Trans. Ent. Soc. Lond.*, 1923, p. 89. Holotype ♂ and Paratypes ♂, ♀.
- marloensis* Carter. *Trans. Roy. Soc. South Aust.*, lxi, 1937, p. 124. Holotype ♂.
- nyallae* Carter. *Proc. Linn. Soc. N. S. Wales*, lvii, 3-4, 1932, p. 102. Holotype.
- obscura* Macleay (*Anilara*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 241. Holotype.
- pavo* Carter. *Proc. Linn. Soc. N. S. Wales*, lx, 3-4, 1935, p. 179. Holotype.
- septemplagiata* Carter. *Trans. Ent. Soc. Lond.*, 1923, p. 9. Holotype ♂ and Allotype ♀.
- uniformis* Carter. *Id.*, 1923, p. 87. Paratypes.
- vertebralis* Carter. *Id.*, 1923, p. 83. Holotype ♂, Allotype ♀, and Paratype ♀.
- wanerua* Carter. *Proc. Linn. Soc. N. S. Wales*, lxi, 1-2, 1936, p. 103. Holotype.
- Nascio chydæa* Olliff. *Id.*, i (2), 1886, p. 861. Holotype and Paratype.
- multesima* Olliff (*Nascioides*). *Id.*, i (2), 1886, p. 863. Holotype.
- viridis* Macleay (*Nascioides*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 239. Holotype and Paratype.
- Neobuprestis trisulcata* Carter. *Proc. Linn. Soc. N. S. Wales*, lvii, 3-4, 1932, p. 102. Holotype.
- Neocuris aenescens* Carter. *Id.*, liii, 3, 1928, p. 281. Holotype.
- doddi* Carter. *Id.*, liii, 3, 1928, p. 281. Holotype.
- douboulayi* Carter. *Trans. Roy. Soc. South Aust.*, lxi, 1937, p. 122. Holotype ♂ and Allotype ♀.
- gracilis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 241. Holotype.
- ignicolis* Carter. *Trans. Roy. Soc. South Aust.*, lxi, 1937, p. 122. Holotype ♂.
- violacea* Carter. *Proc. Linn. Soc. N. S. Wales*, liii, 3, 1928, p. 282. Holotype ♀.
- Néospades cupricauda* Carter (*Ethon*). *Id.*, lii, 3, 1927, p. 228. Paratypes ♂ and ♀.
- gibbera* Carter. *Trans. Roy. Soc. South Aust.*, lxi, 1937, p. 121. Holotype.
- niveosparsa* Carter (*Ethon*). *Proc. Linn. Soc. N. S. Wales*, lii, 3, 1927, p. 228. Holotype.
- Notobubastes occidentalis* Carter. *Id.*, xlix, 2, 1924, p. 25, f. 5. Holotype.
- Notograptus hieroglyphicus* Macleay (*Notographus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 244. Holotype.
- sulcipennis* Macleay. *Id.*, ii, 1872, p. 243. Holotype.
- Paracephala browni* Carter. *Proc. Linn. Soc. N. S. Wales*, lviii, 3-4, 1933, p. 164. Holotype.
- vitticeps* Carter. *Id.*, xlix, 4, 1924, p. 535. Holotype ♀.
- Polycesta mastersi* Macleay (*Polycestella*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 246. Holotype.
- Stigmodera aeraticollis* Carter. *Proc. Linn. Soc. N. S. Wales*, iv, 2, 1930, p. 182. Holotype.
- ariel* Carter. *Id.*, lv, 5, 1930, p. 533, f. 1. Holotype.
- aurantiaca* Carter. *Aust. Zool.*, vi, 4, 1931, p. 346, pl. xxx, f. 5. Holotype.
- bogania* Carter. *Proc. Linn. Soc. N. S. Wales*, lv, 5, 1930, p. 534, f. 3. Holotype ♂.
- broomensis* Carter. *Id.*, lix, 3-4, 1934, p. 253, f. 1. Holotype ♂.
- commixta* Carter. *Id.*, xlix, 2, 1924, p. 21. Holotype ♂ and Paratype.
- cydista* Rainbow. *Rec. Aus. Mus.*, iv, 4, 1904, p. 246, f. 36. Holotype.
- desideria* Carter. *Trans. Roy. Soc. South Aust.*, xl, 1916, p. 122, pl. x, f. 16-17. Paratype.
- dilatata* Carter. *Proc. Linn. Soc. N. S. Wales*, lii, 3, 1927, p. 227, f. 5. Holotype.
- discoidea* Carter. *Aust. Zool.*, vi, 4, 1931, p. 343, pl. xxix, f. 2. Holotype ♀. Allotype ♂, and Paratype.
- duaringæ* Carter. *Proc. Linn. Soc. N. S. Wales*, liv, 2, 1929, p. 68, f. 4. Holotype.
- ducalis* Carter. *Id.*, lii, 3, 1927, p. 223, f. 1. Holotype ♂.

- Stigmodera dequeti* Carter. *Id.*, lii, 3, 1927, p. 225, f. 3. Holotype.
- eborica* Carter. *Id.*, lix, 3-4, 1934, p. 253, f. 2. Holotype ♀.
- elongatula* Macleay (= *S. parallela* White, 1869). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 246. Holotype and Paratype.
- flavocoerulea* Carter. *Rec. Aus. Mus.*, xx, 3, 1938, p. 234. Holotype.
- flavoviridis* Carter. *Proc. Linn. Soc. N. S. Wales*, lii, 3, 1927, p. 227. Holotype.
- findersi* Carter. *Id.*, xlvii, 2, 1922, p. 70, f. 6. Holotype.
- garrawillae* Carter. *Aust. Zool.*, vi, 4, 1931, p. 348, pl. xxx, f. 7. Holotype.
- goerlingi* Carter. *Trans. Roy. Soc. South Aust.*, lxi, 1937, p. 125. Holotype ♂.
- helmsi* Carter. *Proc. Linn. Soc. N. S. Wales*, xxxi, 2, 1906, p. 259, pl. xx, f. 10. Paratype.
- hilaris* Hope, 1846, var. *infasciata* Carter. *Id.*, lviii, 3-4, 1933, p. 163. Holotype.
- imitator* Carter. *Id.*, lv, 2, 1930, p. 180, pl. iv, f. 6. Holotype.
- impressicollis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 32. Holotype.
- inuitata* Carter. *Proc. Linn. Soc. N. S. Wales*, lviii, 3-4, 1933, p. 160, f. 3. Holotype.
- kreffti* Macleay (= *S. crenata* Donovan, 1805). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 245. Holotype.
- laevinotata* Carter. *Proc. Linn. Soc. N. S. Wales*, lix, 3-4, 1934, p. 254. Holotype.
- latipes* Carter. *Id.*, xlix, 2, 1924, p. 21, f. 3. Holotype.
- magnetica* Carter. *Id.*, lviii, 3-4, 1933, p. 162. Holotype.
- marginalis* Carter. *Id.*, liv, 2, 1929, p. 66, f. 2. Holotype ♀.
- mastersi* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 245. Holotype and Paratypes.
- oblita* Carter. *Aust. Zool.*, vi, 4, 1931, p. 347. Holotype ♂ and Allotype ♀.
- palagera* Carter. *Trans. Roy. Soc. South Austr.*, lxi, 1937, p. 125, pl. v, f. 3. Holotype ♂.
- praeterita* Carter. *Proc. Linn. Soc. N. S. Wales*, xlix, 2, 1924, p. 20. Holotype ♂. Allotype ♀, and Paratype.
- pratensis* Carter. *Id.*, lix, 3-4, 1934, p. 255. Holotype.
- prolongata* Carter. *Id.*, lx, 3-4, 1935, p. 179. Holotype.
- radians* Carter. *Id.*, lviii, 3-4, 1933, p. 160, f. 1. Holotype.
- sancta* Carter. *Id.*, xxxvii, 3, 1912, p. 501. Paratype.
- sexguttata* Macleay. *Trans. Ent. Soc. N. S. Wales*, i, 1862, p. 29. Holotype and Paratypes.
- sexualis* Carter. *Proc. Linn. Soc. N. S. Wales*, liv, 2, 1929, p. 69, f. 5. Holotype ♀. Allotype ♂, and Paratype ♂.
- skusei* Blackburn. *Id.*, xv, 1872, p. 46. Holotype.
- subnotata* Carter. *Id.*, lviii, 3-4, 1933, p. 160. Holotype.
- subtincta* Carter. *Id.*, lviii, 3-4, 1933, p. 159. Holotype ♂.
- subversicolor* Carter. *Id.*, l, 3, 1925, p. 231. Holotype.
- suttoni* Carter. *Id.*, lvii, 3-4, 1932, p. 104, f. 2. Holotype ♂.
- théryi* Carter (= *S. armata* Thomson, 1879). *Id.*, xlix, 4, 1924, p. 534, f. 4. Holotype ♂, Allotype ♀, and Paratype ♂.
- tillyardi* Carter (= *S. victoriensis* Blackburn, 1890, var. *humeralis* Kerremans, 1902). *Id.*, xxxvii, 3, 1912, p. 502, pl. lii, f. 3. Paratype.
- truncata* Carter. *Proc. Linn. Soc. N. S. Wales*, lxi, 1-2, 1936, p. 104, f. 4. Holotype.
- varicollis* Carter (= *S. yarrelli* L. and G., 1838). *Id.*, xxxvii, 3, 1912, p. 497. Paratype.
- violacea* Macleay. *Trans. Ent. Soc. N. S. Wales*, i, 1862, p. 23. Holotype and Paratypes.
- vulgaris* Carter. *Aust. Zool.*, vi, 4, 1931, p. 347. Holotype.

- Synechocera cupripes* Carter. *Proc. Linn. Soc. N. S. Wales*, xlix, 2, 1924, p. 31.
 Holotype ♂.
longior Carter. *Id.*, liii, 3, 1928, p. 274. Holotype and Paratype.
setosa Carter. *Id.*, xlix, 2, 1924, p. 31. Holotype.
Theryaxia suttoni Carter. *Id.*, liii, 5, 1928, p. 550, f. 1-2. Holotype.

EUCNEMIDAE.

- Belonota pubescens* Macleay (*Nematodes*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 260.
 Holotype.

ELATERIDAE.

- Acroniopus rufipennis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 259. Holotype.
Ascesis mastersi Macleay. *Id.*, ii, 1872, p. 260. Holotype and Paratype.
testaceus Elston. *Arkiv f. Zool.*, xxii, 1, 1930, p. 21. Paratypes.
Agonischius aulacoderus Elston. *Trans. Roy. Soc. South Aust.*, liii, 1929, p. 348.
 Holotype.
laticornis Elston. *Arkiv f. Zool.*, xxii, 1, 1930, p. 21. Paratypes.
mjobergi Elston. *Id.*, xxii, 1, 1930, p. 20. Paratype.
Agrypnus lator Macleay (= *A. mastersi* Macleay, 1872, var. *lator* Maccl.). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 250. Holotype and Paratype.
mastersi Macleay. *Id.*, ii, 1872, p. 249. Holotype.
Cardiophorus mastersi Macleay (*Microdesmes*). *Id.*, ii, 1872, p. 258. Holotype.
Conoderus arbitrarius Elston. *Trans. Roy. Soc. South Aust.*, liii, 1929, p. 347. Holotype.
mentitus Elston. *Arkiv f. Zool.*, xxii, 1, 1930, p. 13. Paratype.
mjobergi Elston. *Arkiv f. Zool.*, xxii, 1, 1930, p. 13. Paratypes.
Corymbites nigrinus Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 258. Holotype.
rufipennis Macleay. *Id.*, ii, 1872, p. 258. Holotype and Paratype.
Cryptohypnus variegatus Macleay (*Hypnodius*). *Id.*, ii, 1872, p. 257. Holotype.
Dicteniophorus apicalis Macleay. *Id.*, ii, 1872, p. 261. Holotype and Paratype.
vittatus Macleay. *Id.*, ii, 1872, p. 261. Holotype.
vitticollis Macleay. *Id.*, ii, 1872, p. 260. Holotype.
Elastrus flavipes Macleay. *Id.*, ii, 1872, p. 257. Holotype.
Elater mastersi Macleay. *Id.*, ii, 1872, p. 257. Holotype.
Hemiopsida mastersi Macleay. *Id.*, ii, 1872, p. 261. Holotype and Paratype.
Heteroderes cairnsensis Blackburn (*Conoderus*). *Trans. Roy. Soc. South Aust.*, xvii, 1893, p. 296. Paratype.
Horistonotus bicolor Rainbow. *Rec. Aus. Mus.*, v, 4, 1904, p. 247, f. 37. Holotype.
Lacon adustus Elston. *Trans. Roy. Soc. South Aust.*, xlviii, 1924, p. 205. Paratypes.
adustus Elston var. *Id.*, xlviii, 1924, p. 205. Paratypes.
alternans Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 251. Holotype.
applanatus Elston. *Trans. Roy. Soc. Aust.*, xlviii, 1924, p. 206. Holotype.
aquilus Elston. *Id.*, li, 1927, p. 360. Paratype.
arbitrarius Elston. *Id.*, xlviii, 1924, p. 208. Holotype and Paratype.
badius Elston. *Id.*, li, 1927, p. 350. Paratype.
bellator Elston. *Id.*, li, 1927, p. 354. Paratype.
bigener Elston. *Id.*, xlviii, 1924, p. 208. Paratypes.
brevipennis Elston. *Id.*, li, 1927, p. 360. Holotype.
brightensis Blackburn. *Proc. Linn. Soc. N. S. Wales*, vi (2), 1891, p. 503. Paratype.
castaneus Elston. *Trans. Roy. Soc. South Aust.*, li, 1927, p. 358. Paratype.
cineraceus Elston. *Trans. Roy. Soc. South Aust.*, li, 1927, p. 359. Paratypes.
commutabilis Elston. *Id.*, xlviii, 1924, p. 207. Holotype and Paratypes.
conspiciendus Elston. *Id.*, xlviii, 1924, p. 206. Paratypes.
cruentatus Elston. *Id.*, li, 1927, p. 351. Paratype.
duplex Blackburn. *Proc. Linn. Soc. N. S. Wales*, vi (2), 1891, p. 506. Paratypes.

- Lacon formosus* Elston. *Trans. Roy. Soc. South Aust.*, li, 1927, p. 355. Paratype.
fergusoni Elston. *Id.*, li, 1927, p. 350. Holotype.
gayndahensis Macleay (= *L. assus* Candeze, 1857). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 250. Holotype and Paratypes.
granulatus Macleay. *Id.*, ii, 1872, p. 251. Holotype and Paratype.
hackeri Elston. *Trans. Roy. Soc. South Aust.*, li, 1927, p. 357. Paratype.
impressicollis Elston. *Id.*, xlviii, 1924, p. 202. Paratype.
maculatus Macleay (= *L. guttatus* Candeze, 1857). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 251. Holotype.
mjobergi Elston. *Arkiv f. Zool.*, xxii, 1, 1930, p. 5. Paratypes.
murrayensis Blackburn. *Proc. Linn. Soc. N. S. Wales*, vi (2), 1891, p. 504. Paratype.
orthoderus Elston. *Trans. Roy. Soc. South Aust.*, xlviii, 1924, p. 204. Paratype.
perplexus Elston. *Id.*, xlviii, 1924, p. 202. Holotype and Paratype.
praelongus Elston. *Id.*, li, 1927, p. 355. Paratype.
productus Elston. *Id.*, xlviii, 1924, p. 203. Paratype.
punctatissimus Elston. *Id.*, li, 1927, p. 362. Paratype.
recticollis Elston. *Arkiv f. Zool.*, xxii, 1, 1930, p. 4. Paratypes.
reticulatus Elston. *Id.*, xxii, 1, 1930, p. 6. Paratypes.
rufulus Elston. *Trans. Roy. Soc. South Aust.*, li, 1927, p. 361. Paratype.
scopulosus Elston. *Id.*, xlviii, 1924, p. 204. Paratype.
semivestitus Elston. *Id.*, li, 1927, p. 352. Holotype and Paratype.
stigmopus Elston. *Id.*, li, 1927, p. 352. Paratype.
subcompactus Elston. *Id.*, li, 1927, p. 356. Holotype and Paratype.
submarmoratus Elston. *Id.*, xlviii, 1924, p. 205. Paratype.
validus Elston. *Id.*, xlviii, 1924, p. 203. Paratype.
veternosus Elston. *Arkiv f. Zool.*, xxii, 1, 1930, p. 5. Paratype.
- Ludius atripennis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 259. Holotype.
Monocrepidius acuminatus Macleay (*Conoderus*). *Id.*, ii, 1872, p. 252. Holotype and Paratype.
albidus Macleay (*Heteroderes*). *Id.*, ii, 1872, p. 255. Holotype.
atratus Macleay (= *Conoderus brevipennis* Candeze, 1859). *Id.*, ii, 1872, p. 253. Holotype and Paratype.
breviceps Macleay (= *Conoderus eveillardii* Le Guillou, 1842). *Id.*, ii, 1872, p. 252. Holotype and Paratype.
candezei Macleay (*Conoderus*). *Id.*, ii, 1872, p. 256. Holotype and Paratypes.
castaneipennis Macleay (*Conoderus*). *Id.*, ii, 1872, p. 256. Holotype and Paratype.
commodus Blackburn (*Conoderus*). *Trans. Roy. Soc. South Aust.*, xix, 1895, p. 48. Paratype.
elongatulus Macleay (*Conoderus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 256. Holotype.
fulvipennis Macleay (*Conoderus*). *Id.*, ii, 1872, p. 254. Holotype and Paratype.
mastersi Macleay (= *Conoderus aphiloides* Candeze, 1859). *Id.*, ii, 1872, p. 252. Holotype and Paratype.
mentitor Blackburn (*Conoderus*). *Proc. Linn. Soc. N. S. Wales*, vii (2), 1892, p. 294. Paratype.
minor Macleay (*Conoderus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 253. Holotype and Paratype.
nebulosus Macleay (*Conoderus*). *Id.*, ii, 1872, p. 254. Holotype.
striatus Macleay (*Conoderus*). *Id.*, ii, 1872, p. 252. Holotype and Paratype.
subflavus Macleay (*Conoderus*). *Id.*, ii, 1872, p. 255. Holotype.
subgeminatus Macleay (*Conoderus*). *Id.*, ii, 1872, p. 255. Holotype.
submaculatus Macleay (*Conoderus*). *Id.*, ii, 1872, p. 255. Holotype and Paratype.

- Monocrepidius submarmoratus* Macleay (*Conoderus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 254. Holotype and Paratype.
variegatus Blackburn (*Conoderus*). *Proc. Linn. Soc. N. S. Wales*, iii (2), 1888, p. 1422. Paratype.
- Ophidius brevicornis* Macleay (*Paranilicus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 259. Holotype and Paratype.
- Paracardiophorus attenuatipennis* Elston. *Arkiv f. Zool.*, xxii, 1, 1930, p. 17. Paratypes.
jugulus Elston. *Id.*, xxii, 1, 1930, p. 16. Paratypes.
mjobergi Elston. *Id.*, xxii, 1, 1930, p. 16. Paratype.
- Poemmites nitidicollis* Elston (*Corymbites*). *Trans. Roy. Soc. South Aust.*, liii, 1929, p. 347. Paratypes.
- Pseudotetralobus apicipennis* Elston. *Id.*, lii, 1928, p. 185. Paratypes.
castaneus Elston. *Id.*, lii, 1928, p. 184. Paratypes.
conspicuosus Elston. *Id.*, lii, 1928, p. 187. Holotype.
sulcicollis Elston. *Id.*, lii, 1928, p. 186. Paratype.

TENEBRIONIDAE.

- Aethosus pygmaeus* Carter (*Palorus*). *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 225. Paratype.
- Adelium abnorme* Carter. *Proc. Linn. Soc. N. S. Wales*, liii, 3, 1928, p. 285. Holotype.
bassi Carter. *Id.*, li, 4, 1926, p. 512. Holotype and Paratype.
breve Carter. *Id.*, li, 4, 1926, p. 513. Holotype.
convexiusculus Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 289. Holotype and Paratype.
flavitaris Carter. *Proc. Linn. Soc. N. S. Wales*, lviii, 3-4, 1933, p. 173. Paratype.
helmsi Carter. *Id.*, xxx, 2, 1905, p. 181. Paratype.
hirsutum Carter. *Id.*, lxi, 1-2, 1936, p. 106. Holotype.
mccullochi Carter. *Id.*, xlv, 1, 1919, p. 166, pl. v, f. 11. Holotype and Paratype.
monilicorne Macleay (*Brycopia*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 291. Holotype.
panagaecicollis Macleay (*Dystalica*). *Id.*, ii, 1872, p. 290. Holotype and Paratype.
parvulum Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 290. Holotype.
pulchellum Carter. *Proc. Linn. Soc. N. S. Wales*, lvii, 3-4, 1932, p. 110. Holotype.
reticulatum Carter. *Id.*, xxx, 2, 1905, p. 181. Paratype.
rugosicollis Macleay (= *A. plicigerum* Pascoe, 1870, var. *rugosicollis* Macl.). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 289. Holotype and Paratype.
sloanei Carter. *Proc. Linn. Soc. N. S. Wales*, xxxiv, 1, 1909, p. 151, f. 10. Paratype.
spinicollis Carter. *Id.*, liii, 3, 1928, p. 285. Holotype.
sublaevigatum Carter. *Id.*, 1, 3, 1925, p. 239. Holotype.
vesiculatum Carter. *Id.*, xlvii, 2, 1922, p. 78. Paratype.
viridipenne Macleay (= *A. striatum* Pascoe, 1866, var. *viridipenne* Macl.). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 289. Holotype and Paratype.
- Aethalides costipennis* Carter. *Proc. Linn. Soc. N. S. Wales*, xxxiv, 1, 1909, p. 135, f. 4. Paratype.
marginicollis Carter. *Id.*, xxxiv, 1, 1909, p. 136. Holotype.
- Amarygmus amplipes* Carter. *Id.*, lvii, 3-4, 1932, p. 111. Paratype.
carbo Carter. *Trans. Roy. Soc. South Aust.*, xxxvii, 1913, p. 38. Paratype.
convexiusculus Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 279. Holotype.
foveolatus Macleay. *Id.*, ii, 1872, p. 297. Holotype and Paratype.
grandis Macleay (*Chalcopterus*). *Id.*, ii, 1872, p. 295. Holotype.
metalliceps Carter. *Proc. Linn. Soc. N. S. Wales*, xlvi, 3, 1921, p. 321. Paratype.
obsoletus Macleay (= *Chalcopterus fastuosus* Germar, 1848, var. *obsoletus* Macl.). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 296. Holotype.

- Amarygmus opacicollis* Macleay (*Chalcopterus*). *Id.*, ii, 1872, p. 295. Holotype and Paratype.
picipes Macleay (*Chalcopterus*). *Id.*, ii, 1872, p. 295. Holotype and Paratype.
punctipennis Macleay (*Chalcopterus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 296. Holotype and Paratype.
puteolatus Carter. *Proc. Linn. Soc. N. S. Wales*, li, 4, 1926, p. 514. Holotype.
rufipes Macleay (= *Chalcopterus nigratarsis* Pascoe, 1866). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 294. Holotype.
rugosicollis Macleay (*Chalcopterus*). *Id.*, ii, 1872, p. 295. Holotype.
rugosipennis Macleay. *Id.*, ii, 1872, p. 296. Holotype.
striatus Macleay. *Id.*, ii, 1872, p. 297. Holotype.
sulcatus Carter. *Proc. Linn. Soc. N. S. Wales*, xlii, 4, 1917, p. 715. Paratype.
- Androsus wasselli* Carter. *Id.*, lvii, 3-4, 1932, p. 109. Holotype and Paratype.
Anemia caulobiodes Carter. *Id.*, xlv, 2, 1920, p. 224, f. 2. Paratype.
Apatelus squamosus Macleay (= *Cestrinus trivialis* Erichson, 1842). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 278. Holotype and Paratype.
Apellatus mastersi Macleay (*Coripera*). *Id.*, ii, 1872, p. 299. Holotype.
Araucaricola ebenina Lea. *Trans. Roy. Soc. South Aust.*, liii, 1929, p. 218. Paratype.
Atryphodes mastersi Macleay (*Cardiothorax*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 288. Holotype and Paratype.
opacicollis Macleay (*Cardiothorax*). *Id.*, ii, 1872, p. 288. Holotype and Paratype.
Austropeus pustulosus Carter. *Proc. Linn. Soc. N. S. Wales*, xlix, 4, 1924, p. 543, f. 13. Holotype.
- Blepegenes lachrymosa* Carter. *Id.*, lv, 2, 1930, p. 185. Holotype.
Bolbophanes pallidipes Carter. *Id.*, liv, 2, 1929, p. 74. Holotype.
rugatus Carter. *Id.*, xxxviii, 1, 1913, p. 87. Paratype.
varicolor Carter. *Id.*, xxxviii, 1, 1913, p. 88. Paratype ♀.
- Brachycilibe tasmanica* Carter. *Id.*, xlv, 1, 1919, p. 148. Paratype.
Brycopia barossae Carter. *Id.*, xli, 1-2, 1936, p. 107. Holotype.
browni Carter. *Id.*, lxi, 1-2, 1936, p. 107. Holotype.
denticulata Carter. *Id.*, lxi, 1-2, 1936, p. 108. Holotype and Paratypes.
dubia Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 293. Holotype.
longipes Macleay. *Id.*, ii, 1872, p. 293. Holotype.
musgravei Carter. *Proc. Linn. Soc. N. S. Wales*, lix, 1-2, 1936, p. 109. Holotype.
taylori Carter. *Id.*, xxxi, 2, 1906, p. 258. Paratype.
- Byallius andersoni* Carter. *Id.*, lv, 2, 1930, p. 184. Holotype.
angustus Carter. *Id.*, l, 3, 1925, p. 236. Holotype.
oberonius Carter. *Id.*, lviii, 3-4, 1933, p. 170. Holotype.
- Campanatiphilus fimbriicollis* Lea. *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 258. Paratype.
- Campolene cyanea* Carter. *Proc. Linn. Soc. N. S. Wales*, lii, 3, 1927, p. 232. Holotype.
Cardiothorax asperatus Carter. *Id.*, xli, 2, 1916, p. 213, f. 3. Paratypes.
aureus Carter. *Id.*, xxxi, 2, 1906, p. 241. Paratype.
australis Carter. *Id.*, xxxi, 2, 1906, p. 242. Paratypes.
batesi Carter (= *C. aericcollis* Pascoe, 1869). *Id.*, xxxi, 2, 1906, p. 243. Paratype.
bisulcatus Carter. *Id.*, xxxvi, 2, 1911, p. 216. Paratype.
coeruleoniger Carter. *Id.*, xxxi, 2, 1906, p. 250. Paratypes.
excisicollis Carter. *Id.*, liv, 2, 1920, p. 236. Holotype and Paratype.
foveatus Carter. *Id.*, xlix, 4, 1924, p. 538, f. 6, 6a. Paratypes.
hopsoni Carter. *Id.*, l, 3, 1925, p. 238, f. 8. Holotype.
interstitialis Carter. *Id.*, xli, 2, 1916, p. 211. Paratypes.
laticollis Carter. *Id.*, xxxvi, 2, 1911, p. 217. Paratype.
marginatus Carter. *Id.*, xlv, 2, 1920, p. 233. Paratype.
metallicus Carter. *Id.*, xlv, 2, 1920, p. 234, f. 5. Paratypes.

- Cardiothorax monarensis* Carter. *Id.*, lvii, 3-4, 1932, p. 110. Holotype.
nasutus Carter. *Id.*, xlix, 4, 1924, p. 539, f. 7. Holotype.
sexsulcatus Carter. *Id.*, li, 2, 1926, p. 70, f. 5. Holotype.
tibialis Carter. *Id.*, xxxvi, 2, 1911, p. 219. Paratype.
undulatus Carter. *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 400. Paratypes.
Cestrinus squalidus Macleay (*Adelodemus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 278.
 Holotype and Paratype.
Chalcopterus latifrons Carter. *Trans. Roy. Soc. South Aust.*, xxxvii, 1913, p. 23.
 Paratype.
lucidus Carter. *Proc. Linn. Soc. N. S. Wales*, xlix, 1, 1924, p. 42. Holotype.
nitidus Carter. *Id.*, lv, 5, 1930, p. 544. Holotype and Allotype.
Chartopteryx mastersi Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 287. Holotype
 and Paratype.
Coripera distincta Carter. *Proc. Linn. Soc. N. S. Wales*, xxx, 2, 1906, p. 185. Paratype.
morleyana Carter. *Id.*, lx, 3-4, 1935, p. 184. Paratype.
Cyclophanes gloriosus Carter. *Id.*, xxxviii, 1, 1913, p. 94. Paratype.
variegatus Carter. *Id.*, xxxviii, 1, 1913, p. 93. Paratype.
Cyphaleus cupreicollis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 287. Holotype
 and Paratype.
Daedrosia antennalis Carter. *Proc. Linn. Soc. N. S. Wales*, xlv, 2, 1920, p. 240. Paratype.
hirsutus Carter (*Leptogastrus*). *Id.*, xxxi, 2, 1906, p. 254, pl. xx, f. 14. Paratype.
Dysarchus browni Carter. *Id.*, lv, 2, 1930, p. 183. Holotype.
percostatus Carter. *Id.*, lv, 2, 1930, p. 183. Holotype.
Dystalica angusta Carter. *Id.*, liii, 3, 1928, p. 286. Holotype.
Ebenolus banksi Carter. *Id.*, xlix, 1, 1924, p. 43. Holotype ♂ and Allotype ♀.
minor Carter. *Id.*, xlix, 1, 1924, p. 4. Holotype, Allotype, and Paratypes.
Enhyphon punctatum Carter. *Id.*, lii, 3, 1927, p. 231. Holotype.
Eutherama cyaneum Carter. *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 405. Paratype.
Helaeus perlatus Carter. *Proc. Linn. Soc. N. S. Wales*, lv, 5, 1930, p. 539. Holotype.
Hemicyclus sphaeroides Carter. *Id.*, liv, 2, 1929, p. 75. Holotype.
Hopatrum calvulum Olliff (*Gonocephalum*). *Mem. Aust. Mus.*, ii, 1889, p. 87. Holotype
 and Paratypes.
Hyocis minor Carter. *Proc. Linn. Soc. N. S. Wales*, xlv, 2, 1920, p. 225. Paratype.
pallida Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 278. Holotype.
pubescens Macleay. *Id.*, ii, 1872, p. 279. Holotype.
Hypaulax foveata Carter. *Proc. Linn. Soc. N. S. Wales*, xxxix, 1, 1914, p. 59. Paratype.
gayndahensis Macleay (= *H. ovalis* Bates, 1868). *Trans. Ent. Soc. N. S. Wales*, ii,
 1872, p. 284. Holotype and Paratype.
opacicollis Macleay (= *H. marginata* Bates, 1868). *Id.*, ii, 1872, p. 285. Holotype.
undulaticostis Carter. *Proc. Linn. Soc. N. S. Wales*, lix, 3-4, 1934, p. 263. Holotype.
Ipsaphes nitidulus Macleay (*Doliema*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 168.
 Holotype.
Leichrodes variabilis Carter. *Proc. Linn. Soc. N. S. Wales*, lv, 5, 1930, p. 357. Holotype.
Lepispilus ocellaris Carter. *Id.*, lvii, 3-4, 1932, p. 107. Allotype, ♀.
Leptogastrus mastersi Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 294. Holotype.
suttoni Carter. *Proc. Linn. Soc. N. S. Wales*, liv, 2, 1929, p. 76. Holotype.
Licinoma apasiodes Carter. *Id.*, xlv, 2, 1920, p. 241, f. 9. Paratype.
illidgei Carter. *Id.*, xlix, 4, 1924, p. 540, f. 8. Holotype.
major Carter. *Id.*, xlix, 4, 1924, p. 540, f. 9. Holotype.
oblonga Carter. *Id.*, lv, 5, 1930, p. 451, f. 9. Holotype.
planata Carter. *Id.*, li, 4, 1926, p. 513. Holotype.
punctilatera Carter (= *L. monticola* Blackburn, 1892). *Id.*, xliv, 1, 1919, p. 169.
 Paratype.

- Licinoma puncticeps* Carter. *Id.*, xlix, 1, 1924, p. 41. Holotype.
puteolata Carter. *Id.*, lix, 3-4, 1934, p. 265. Holotype.
- Menephilus parvulus* Macleay (= *M. colydioides* Erichson, 1842, var. *parvulus* Macleay).
Trans. Ent. Soc. N. S. Wales, ii, 1872, p. 285. Holotype.
pulcher Carter. *Proc. Linn. Soc. N. S. Wales*, xlix, 1, 1924, p. 36. Holotype.
rectibasis Carter. *Id.*, xxxix, 1, 1914, p. 70. Paratype.
- Meneristes curtulus* Olliff. *Mem. Aust. Mus.*, ii (2), 1889, p. 90. Holotype and Paratypes.
laticollis Carter. *Proc. Linn. Soc. N. S. Wales*, xxxix, 1, 1914, p. 75. Paratypes.
porosus Carter. *Id.*, xlii, 4, 1918, p. 707. Paratypes ♂ and ♀.
tibialis Carter. *Id.*, xxxix, 1, 1914, p. 73, pl. xvii, f. 18. Paratypes ♂ and ♀.
vulgaris Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 89, pl. vi, f. 6. Holotype and Paratype.
- Mesostretis fumata* Lea. *Trans. Roy. Soc. South Aust.*, liii, 1929, p. 217. Paratype.
- Microphyes rufipes* Macleay (= *Alphitobius laevigatus* Fabricius, 1775). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 286. Holotype.
- Mychestes mastersi* Macleay. *Id.*, ii, 1872, p. 279. Holotype and Paratype.
ordinatus Carter. *Trans. Roy. Soc. South Aust.*, lxi, 1937, p. 128. Holotype.
pascoei Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 279. Holotype.
- Neoprataeus litoralis* Carter. *Proc. Linn. Soc. N. S. Wales*, xlix, 1, 1924, p. 37. Holotype.
- Notostromyllum rugosicollis* Carter. *Id.*, xl, 3, 1915, p. 523. Holotype.
- Nyctobates sterrha* Olliff (*Promethis*). *Mem. Aust. Mus.*, ii, 1889, p. 88, pl. vi, f. 1. Holotype and Paratypes.
- Nyctozoilus crassus* Carter. *Proc. Linn. Soc. N. S. Wales*, xlix, 1, 1924, p. 35. Holotype.
elongatulus Macleay (*Styrus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 284. Holotype and Paratype.
mastersi Macleay. *Id.*, ii, 1872, p. 284. Holotype and Paratype.
subsculptus Carter. *Proc. Linn. Soc. N. S. Wales*, lxi, 1-2, 1936, p. 105, f. 5. Holotype.
taylori Carter. *Id.*, lii, 3, 1927, p. 232. Holotype.
- Omolipus grandis* Macleay (= *O. corvus* Pascoe, 1860). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 294. Holotype and Paratype.
ovatus Carter. *Proc. Linn. Soc. N. S. Wales*, xlvii, 2, 1922, p. 79, f. 14. Holotype and Paratype.
- Onosterrhus hackeri* Carter. *Id.*, lv, 5, 1930, p. 539. Holotype.
kennedyi Carter. *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 378. Holotype.
obesus Carter. *Proc. Linn. Soc. N. S. Wales*, lviii, 3-4, 1933, p. 169. Holotype.
robertus Carter. *Id.*, lix, 3-4, 1934, p. 263. Holotype.
- Opatrium mastersi* Macleay (*Gonocephalum*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 277. Holotype and Paratype.
- Otrintus cylindricus* Carter. *Proc. Linn. Soc. N. S. Wales*, xxxvi, 2, 1911, p. 211. Paratype.
- Platycybie bicolor* Carter. *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 225. Paratypes.
integricollis Carter. *Proc. Linn. Soc. N. S. Wales*, xlv, 2, 1920, p. 226. Paratype.
- Platydemia heroni* Carter. *Id.*, liv, 2, 1929, p. 73. Holotype.
laticolle Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 280. Holotype.
nigrosuffusum Carter. *Proc. Linn. Soc. N. S. Wales*, li, 4, 1926, p. 509. Holotype.
pascoei Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 280. Holotype.
rufibase Carter. *Proc. Linn. Soc. N. S. Wales*, xlii, 3, 1918, p. 701. Paratype.
spicatum Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 87. Holotype and Paratypes.
taylori Carter. *Proc. Linn. Soc. N. S. Wales*, liv, 2, 1929, p. 73. Holotype.
- Platyphanes ellipticus* Carter. *Id.*, xxxviii, 1, 1913, p. 81. Paratype.
planatus Carter. *Id.*, lxi, 1-2, 1936, p. 106. Holotype.
punctipennis Carter (*Trisilus*). *Id.*, xxxvi, 2, 1911, p. 210. Paratype.

- Prophanes westwoodi* Macleay (= *P. aculeatus* Westwood, 1849). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 287. Holotype and Paratype.
- Promethis opaca* Carter. *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 386. Paratype.
- pascoei* Macleay (= *P. quadricollis* Pascoe, 1869). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 285. Holotype.
- Pterohelaeus assimilis* Carter. *Proc. Linn. Soc. N. S. Wales*, xlvii, 2, 1922, p. 73. Paratype.
- bremei* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 281. Holotype and Paratype.
- castaneus* Carter. *Proc. Linn. Soc. N. S. Wales*, lviii, 3-4, 1933, p. 166. Holotype and Paratypes.
- cellulosus* Carter. *Id.*, lix, 3-4, 1934, p. 262. Holotype.
- confusus* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 283. Holotype and Paratype.
- elongatus* Macleay. *Id.*, ii, 1872, p. 282. Holotype and Paratype.
- nitiduloides* Carter. *Proc. Linn. Soc. N. S. Wales*, xxxiii, 2, 1908, p. 406. Paratype.
- opacus* Carter. *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 374. Holotype.
- parvipunctatus* Carter. *Proc. Linn. Soc. N. S. Wales*, ii, 1872, p. 312. Allotype ♀.
- pascoei* Macleay (= *P. piceus* Kirby, 1818). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 282. Holotype.
- sericeus* Carter. *Proc. Linn. Soc. N. S. Wales*, xl, 3, 1915, p. 533. Holotype ♀.
- tenuicostis* Carter. *Id.*, lviii, 3-4, 1933, p. 167. Holotype and Paratype.
- vestitus* Carter. *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 375. Holotype and Paratype.
- Saragus abnormis* Carter. *Proc. Linn. Soc. N. S. Wales*, lviii, 3-4, 1933, p. 168. Holotype.
- guelmi* Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 88. Holotype and Paratype.
- ovalis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 283. Holotype and Paratype.
- punctatus* Carter. *Proc. Linn. Soc. N. S. Wales*, xlix, 1, 1924, p. 34. Holotype.
- substriatus* Carter. *Trans. Roy. Soc. N. S. Wales*, xxxviii, 1914, p. 378. Holotype.
- wilsoni* Carter. *Proc. Linn. Soc. N. S. Wales*, l, 3, 1925, p. 234. Holotype ♂.
- Seirotana acuticollis* Carter. *Proc. Linn. Soc. N. S. Wales*, lv, 2, 1930, p. 186. Holotype.
- annulipes* Carter. *Id.*, lx, 3-4, 1935, p. 184. Holotype.
- carbo* Carter. *Id.*, l, 3, 1925, p. 240. Holotype ♂.
- davidsoni* Carter. *Id.*, lx, 3-4, 1925, p. 185. Holotype.
- femoratis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 292. Holotype.
- funerea* Carter. *Proc. Linn. Soc. N. S. Wales*, lviii, 3-4, 1933, p. 174. Holotype.
- minor* Carter. *Id.*, xlv, 2, 1920, p. 248. Paratype.
- monticola* Blackburn, 1891, var. *strigiventris* Carter. *Id.*, lviii, 3-4, 1933, p. 175. Holotype.
- punctifera* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 291. Holotype and Paratype.
- suttoni* Carter. *Proc. Linn. Soc. N. S. Wales*, lviii, 3-4, 1933, p. 174. Holotype.
- tumulosa* Carter. *Id.*, xlvii, 2, 1922, p. 78. Holotype.
- Sloanea costata* Carter. *Id.*, xli, 2, 1916, p. 210, f. 1. Paratype ♂.
- Strongylium mastersi* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 298. Holotype and Paratype.
- ruficollis* Macleay. *Id.*, ii, 1872, p. 298. Holotype.
- Titaena minor* Carter. *Proc. Linn. Soc. N. S. Wales*, xxxviii, 1, 1913, p. 104. Paratype.
- Toxicum distinctum* Macleay (= *T. punctipenne* Pascoe, 1866). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 281. Holotype.
- parvicorne* Macleay. *Id.*, ii, 1872, p. 281. Holotype.
- Trachyscelis howensis* Lea. *Trans. Roy. Soc. South Aust.*, liii, 1929, p. 219. Paratype.

Tretothorax cleistoma Lea. *Proc. Roy. Soc. Vic.*, xxiii, 1, 1910, p. 213, f. 13-14, 49. Paratypes.

Trichosaragus pilosellus Blackburn. *Proc. Linn. Soc. N. S. Wales*, iv (2), 1889, p. 1271. Paratype.

CISTELIDAE.

Aethyssus rubriventris Carter (= *A. viridis* Boisduval, 1835, var. *rubriventris* Cart.).

Proc. Roy. Soc. Vic., xxvii, 1915, p. 55. Paratype.

Alcmeonis paradozus Carter. *Proc. Roy. Soc. Vic.*, xxvii, 1915, p. 58. Paratype.

Allecula elongata Macleay (*Homotrysis*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 301.

Holotype and Paratype.

mastersi Macleay (*Homotrysis*). *Id.*, ii, 1872, p. 302. Holotype and Paratype.

punctipennis Macleay (*Metistete*). *Id.*, ii, 1872, p. 302. Holotype and Paratype.

subsulcata Macleay (*Homotrysis*). *Id.*, ii, 1872, p. 302. Holotype and Paratype.

pascoei Macleay (*Homotrysis*). *Id.*, ii, 1872, p. 302. Holotype and Paratype.

panicollis Macleay (*Homotrysis*). *Id.*, ii, 1872, p. 303. Holotype and Paratype.

Anaxo cylindricollis Carter. *Proc. Linn. Soc. N. S. Wales*, lii, 3, 1927, p. 233. Holotype.

puncticeps Blackburn (*Chromomea*). *Trans. Roy. Soc. South Aust.*, xiv, 1891, p. 311. Holotype.

tenuicornis Carter. *Proc. Linn. Soc. N. S. Wales*, lviii, 3-4, 1933, p. 176, f. 7.

Holotype ♂ and Allotype ♀.

Apellatus mastersi Macleay (= *A. lateralis* Boheman, 1858). *Trans. Ent. Soc. N. S.*

Wales, ii, 1872, p. 299. Holotype.

palpalis Macleay (= *A. lateralis* Boheman, 1858). *Id.*, ii, 1872, p. 298. Holotype.

simplex Carter. *Proc. Roy. Soc. Vic.*, xxvii, 1915, p. 68. Paratype.

Atoichus flavus Carter. *Id.*, xxvii, 1915, p. 73. Paratype.

Atractus cyaneus Macleay (*Aethyssus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 299.

Holotype and Paratype.

ruficollis Macleay (*Aethyssus*). *Id.*, ii, 1872, p. 299. Holotype and Paratype.

rugosulus Macleay (*Aethyssus*). *Id.*, ii, 1872, p. 300. Holotype.

vitticollis Macleay (*Aethyssus*). *Id.*, ii, 1872, p. 300. Holotype.

Chromomea eleanora Carter. *Proc. Linn. Soc. N. S. Wales*, i, 3, 1925, p. 243. Paratype.

fusca Carter. *Proc. Roy. Soc. Vic.*, xxvii, 1915, p. 64. Paratype.

major Carter. *Proc. Linn. Soc. N. S. Wales*, liii, 3, 1928, p. 288. Holotype.

mastersi Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 300. Holotype.

metallica Carter. *Proc. Linn. Soc. N. S. Wales*, lv, 2, 1930, p. 187. Holotype.

ochracea Carter. *Proc. Roy. Soc. Vic.*, xxvii, 1915, p. 55. Paratype.

oculata Carter. *Proc. Linn. Soc. N. S. Wales*, i, 3, 1925, p. 243. Holotype and Paratype.

opacicollis Carter. *Proc. Roy. Soc. Vic.*, xxvii, 1915, p. 65. Paratype.

picea Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 300. Holotype.

suturalis Carter. *Proc. Linn. Soc. N. S. Wales*, lv, 2, 1930, p. 187. Holotype.

violacea Carter. *Id.*, xlvii, 2, 1922, p. 80. Paratype.

Cistela convexa Macleay (*Nocar*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 303.

Holotype and Paratype.

depressiuscula Macleay (*Nocar*). *Id.*, ii, 1872, p. 303. Holotype and Paratype.

polita Macleay (*Scaletomerus*). *Id.*, ii, 1872, p. 304. Holotype.

Eucistela cyanea Carter. *Proc. Roy. Soc. Vic.*, xxvii, 1915, p. 80, pl. i, f. 2. Paratype.

Hemicistela testacea Carter. *Trans. Roy. Soc. South Aust.*, xlv, 1920, p. 202. Paratype.

Homotrysis aerea Carter. *Proc. Linn. Soc. N. S. Wales*, xlvi, 3, 1921, p. 322. Paratype.

atbolineata Carter. *Id.*, lviii, 3-4, 1933, p. 176. Holotype.

clermontia Carter. *Id.*, lv, 2, 1930, p. 188. Holotype.

dentipes Carter. *Id.*, liv, 2, 1929, p. 76. Holotype.

- Homotrysis illidgei* Carter. *Id.*, lii, 3, 1927, p. 233. Holotype.
interstitialis Carter. *Id.*, lviii, 3-4, 1933, p. 177. Holotype ♂.
montium Carter. *Id.*, lviii, 3-4, 1933, p. 179. Holotype ♂.
ornata Carter. *Proc. Roy. Soc. Vic.*, xxvii, 1915, p. 84. Paratype.
regularis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 301. Holotype and Paratype.
ruficornis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 301. Holotype.
rufipilis Carter. *Proc. Linn. Soc. N. S. Wales*, liii, 3, 1928, p. 289. Holotype ♂.
rufobrunnea Carter. *Id.*, lviii, 3-4, 1933, p. 177. Holotype.
sexualis Carter. *Id.*, lviii, 3-4, 1933, p. 178. Holotype.
silvestris Carter. *Id.*, lviii, 3-4, 1933, p. 178. Holotype ♂.
subgeminatus Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 301. Holotype.
torpedo Carter. *Proc. Linn. Soc. N. S. Wales*, xlvii, 2, 1922, p. 81. Paratype ♀.
Hybrenia angusticollis Carter (*Homotrysis*). *Id.*, liii, 3, 1928, p. 289. Holotype.
femorata Carter (*Homotrysis*). *Proc. Roy. Soc. Vic.*, xxvii, 1915, p. 89. Paratypes.
nitidior Carter (*Homotrysis*). *Id.*, xxvii, 1915, p. 90. Paratype.
tibialis Carter (*Homotrysis*). *Id.*, liv, 2, 1929, p. 77. Holotype.
yeppoonensis Carter (*Homotrysis*). *Id.*, liii, 3, 1928, p. 289. Holotype.
Melaps tibialis Carter. *Trans. Roy. Soc. South Aust.*, xlv, 1920, p. 216. Holotype ♂ and Allotype ♀.
Metistete pascoei Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 299. Holotype and Paratype.
protibialis Carter. *Trans. Roy. Soc. South Aust.*, xlv, 1920, p. 213, f. 2. Paratype.
subopaca Carter. *Proc. Linn. Soc. N. S. Wales*, xlvii, 2, 1922, p. 81. Paratype.
Nocar funereus Carter. *Id.*, lix, 3-4, 1934, p. 266. Holotype.
suttoni Carter. *Id.*, lxi, 1-2, 1936, p. 109. Holotype.
Ommatophorus boops Carter. *Id.*, lv, 2, 1930, p. 188. Holotype.
illidgei Carter. *Id.*, li, 4, 1926, p. 516. Holotype.
mastersi Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 305. Holotype.
Tanychilus aeratus Carter. *Proc. Linn. Soc. N. S. Wales*, li, 4, 1926, p. 515. Holotype.

LAGRIIDAE.

- Lagria cyanea* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 304. Holotype and Paratype.
pulchrioraria Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 175. Paratype.

MELANDRYIDAE.

- Orchesia alphabetica* Lea. *Proc. Linn. Soc. N. S. Wales*, l, 4, 1925, p. 418. Paratype.
elongata Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 304. Holotype.
eucalypti Lea. *Proc. Linn. Soc. N. S. Wales*, xliii, 4, 1919, p. 754. Paratype.
Scraptia angusta Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 164. Paratype.
gymnosterna Lea. *Id.*, xli, 1917, p. 163. Paratype.

PYTHIDAE.

- Corticaria polita* Macleay (*Lissodema*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 169. Holotype.

ANTHICIDAE.

- Anthicus aberrans* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 308. Holotype.
abnormis King. *Id.*, ii, 1869, p. 24. Holotype.
abundans Lea. *Proc. Linn. Soc. N. S. Wales*, lvii, 4, 1922, p. 500. Paratypes.
bellus King. *Trans. Ent. Soc. N. S. Wales*, ii, 1869, p. 13. Holotype.
clarki King (*Formicomimus*). *Id.*, ii, 1869, p. 5. Holotype and Paratypes.

- Anthicus concolor* King. *Id.*, ii, 1869, p. 24. Holotype.
constrictus Macleay. *Id.*, ii, 1872, p. 307. Holotype.
dubius King. *Id.*, ii, 1869, p. 15. Holotype.
gacleri King. *Id.*, ii, 1869, p. 22. Holotype.
glaber King. *Id.*, ii, 1869, p. 14. Holotype.
glabricollis King. *Id.*, ii, 1869, p. 20. Holotype.
glabriceps Lea. *Proc. Linn. Soc. N. S. Wales*, lvii, 4, 1922, p. 497. Paratypes.
hesperi King. *Trans. Ent. Soc. N. S. Wales*, ii, 1869, p. 18. Holotype.
imitator Lea. *Proc. Linn. Soc. N. S. Wales*, lvii, 4, 1922, p. 492. Paratype.
immaculatus King. *Trans. Ent. Soc. N. S. Wales*, ii, 1869, p. 17. Holotype.
intricatus King. *Id.*, ii, 1869, p. 14. Holotype.
kingi Macleay. *Id.*, ii, 1872, p. 306. Holotype.
kreffti King (= *A. rarus* King, 1869). *Id.*, ii, 1869, p. 23. Holotype.
kreusleri King. *Id.*, ii, 1869, p. 18. Holotype.
laticollis Macleay. *Id.*, ii, 1872, p. 307. Holotype.
luridus King. *Id.*, ii, 1869, p. 16. Holotype.
macleayi King. *Id.*, ii, 1869, p. 23. Holotype.
mastersi Macleay. *Id.*, ii, 1872, p. 307. Holotype.
mimetes Lea. *Proc. Linn. Soc. N. S. Wales*, lvii, 4, 1922, p. 496. Paratypes.
monilis King. *Trans. Ent. Soc. N. S. Wales*, ii, 1869, p. 18. Holotype.
nigricollis King. *Id.*, ii, 1869, p. 21. Holotype and Paratype.
nitidissimus King. *Id.*, ii, 1869, p. 11. Holotype.
pallidus Macleay (= *A. exsanguis* Pic, 1896). *Id.*, ii, 1869, p. 307. Holotype.
phaenithon Lea. *Proc. Linn. Soc. N. S. Wales*, lvii, 4, 1922, p. 482. Paratype.
pulcher King (*Micracanthicus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1869, p. 12. Holotype.
osculans Lea. *Proc. Linn. Soc. N. S. Wales*, lvii, 4, 1922, p. 495. Paratype.
rarus King. *Trans. Ent. Soc. N. S. Wales*, ii, 1869, p. 22. Holotype.
scydmaenoides King. *Id.*, ii, 1869, p. 16. Holotype.
semipunctatus Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 580. Paratype.
unifasciatus King. *Trans. Ent. Soc. N. S. Wales*, ii, 1869, p. 13. Holotype.
wollastoni King. *Id.*, ii, 1869, p. 22. Holotype.
xerophilus Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 580. Paratype.
Formicomimus agilis King. *Trans. Ent. Soc. N. S. Wales*, ii, 1869, p. 6. Holotype and Paratype.
australis King (*Anthicus*). *Id.*, ii, 1869, p. 8. Holotype.
denisoni King. *Id.*, ii, 1869, p. 6. Holotype.
kingi Macleay. *Id.*, ii, 1872, p. 306. Holotype.
mastersi King. *Id.*, ii, 1869, p. 9. Holotype.
quadrifasciatus King. *Id.*, ii, 1869, p. 7. Holotype.
speciosus King. *Id.*, ii, 1869, p. 7. Holotype.
Mecynotarsus concolor King. *Id.*, ii, 1869, p. 4. Holotype.
hortensis Lea. *Proc. Linn. Soc. N. S. Wales*, lvii, 4, 1922, p. 511. Paratypes.
kreusleri King. *Trans. Ent. Soc. N. S. Wales*, ii, 1869, p. 4. Holotype.
kingi Macleay. *Id.*, ii, 1872, p. 305. Holotype.
maculatus Lea. *Proc. Linn. Soc. N. S. Wales*, lvii, 4, 1922, p. 510. Paratypes.
mastersi Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 305. Holotype.
ziczac King. *Id.*, ii, 1869, p. 4. Holotype.

PEDILIDAE.

- Egestria sulcicollis* Blackburn. *Horn Exped.*, ii, 1896, p. 281. Paratype.
Macratia australis King. *Trans. Ent. Soc. N. S. Wales*, ii, 1869, p. 2. Holotype.
Xylophilus abundans Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 185. Paratypes.

PYROCHROIDAE.

Lemodes mastersi Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 308. Holotype.

RHIPIDOPHORIDAE.

Emenadia nigroapicalis Lea (*Macrosiagon*). *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 258. Paratype.

Pelecotomoides nigrolateralis Lea. *Id.*, xli, 1917, p. 268. Paratype.

Ptilophorus gerstaeckeri Macleay (*Pelecotomoides*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 310. Holotype and Paratype.

Rhipiphorus luteipennis Macleay (= *Macrosiagon macleayi* Csiki). *Id.*, ii, 1872, p. 310. Holotype.

Trigonodera mastersi Macleay (*Pelecotomoides*). *Id.*, ii, 1872, p. 310. Holotype.

MORDELLIDAE.

Mordella alphabeticus Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 235. Paratype.

aterrima Macleay (*Tomoxia*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 309. Holotype and Paratype.

auronotata Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 232. Paratypes.

brunneipennis Macleay (*Mordellistena*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 309. Holotype.

calopasa Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 237, pl. xv, f. 108-110. Paratype.

cuspidata Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 309. Holotype.

metasternalis Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 234. Paratype.

octomaculata Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 308. Holotype and Paratype.

pygidialis Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 231, pl. xiv, f. 95-96, pl. xv, f. 126. Paratype.

quatuordecimmaculata Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 308. Holotype and Paratype.

Tomoxia howensis Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 244. Paratype.

OEDEMERIDAE.

Ananca ruficollis Macleay (*Sessinia*). *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 312. Holotype.

vitticollis Macleay (*Sessinia*). *Id.*, ii, 1872, p. 312. Holotype and Paratype.

zietzi Blackburn (*Sessinia*). *Trans. Roy. Soc. South Aust.*, xix, 1895, p. 55. Paratype.

Copidita apicifusca Lea. *Id.*, xli, 1917, p. 307. Paratype.

erythroderus Lea. *Id.*, xli, 1917, p. 304. Paratype.

fuscicollis Lea. *Id.*, xli, 1917, p. 300. Paratypes.

maritima Lea. *Id.*, xli, 1917, p. 299. Paratypes ♂ and ♀.

mira Lea. *Id.*, xli, 1917, p. 301. Paratype ♂.

Ithaca anthina Olliff (*Dohrnia*). *Proc. Linn. Soc. N. S. Wales*, ii (2), 1887, p. 154. Holotype.

Oxaxis concaviceps Lea (*Sessinia*). *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 309. Paratype.

Pseudolychus apicalis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 313. Holotype and Paratype.

Stenopalpus fuscus Macleay. *Id.*, ii, 1872, p. 311. Holotype.

mastersi Macleay. *Id.*, ii, 1872, p. 312. Holotype and Paratype.

CANTHARIDAE.

- Zonitis annulata* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1872, p. 311. Holotype and Paratype.
apicalis Macleay. *Id.*, ii, 1872, p. 311. Holotype.
bizonata Macleay. *Id.*, ii, 1872, p. 311. Holotype.
fuscicornis Macleay. *Id.*, ii, 1872, p. 310. Holotype.
lutea Macleay. *Id.*, ii, 1872, p. 310. Holotype.

LUCANIDAE.

- Ceratognathus ocularis* Carter. *Proc. Linn. Soc. N. S. Wales*, i, 3, 1925, p. 233, f. 4-5. Paratype.
Eucartheria floralis Lea. *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 252. Paratype.
Lamprima kreffti Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 173. Holotype.
muelleri Macleay (*Phalacrognathus*). *Proc. Linn. Soc. N. S. Wales*, x (2), 1885, p. 135. Holotype.
Lissotes punctatus Lea. *Trans. Roy. Soc. Tas.*, 1910, p. 12, f. 39-46. Paratypes.
rudis Lea. *Id.*, 1910, p. 9, f. 34-37, 58. Paratypes.
Rhyssonotus costatus Carter. *Proc. Linn. Soc. N. S. Wales*, liv, 2, 1929, p. 65, fig. Holotype.
politus Carter. *Id.*, xlvi, 3, 1921, p. 302, f. 1-2. Paratypes.

TROGIDAE.

- Trox salebrosus* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 186. Holotype and Paratype.
semicostatus Macleay. *Id.*, ii, 1871, p. 186. Holotype and Paratype.
squamosus Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 186. Holotype and Paratype.
tricolor Blackburn. *Trans. Roy. Soc. South Aust.*, xxxiv, 1904, p. 295. Paratype.

SCARABAEIDAE.

- Ammoecius crenatipennis* Macleay (*Ataenius*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 184. Holotype and Paratype.
nitidicollis Macleay (*Saprosites*). *Id.*, ii, 1871, p. 185. Holotype.
obscurus Macleay (*Ataenius*). *Id.*, ii, 1871, p. 184. Holotype and Paratype.
semicornutus Macleay (*Ataenius*). *Id.*, ii, 1871, p. 184. Holotype and Paratype.
Aneurystypus calvus Blackburn. *Trans. Roy. Soc. South Aust.*, 1887, p. 231. Paratype.
pauvillus Blackburn. *Id.*, xxxiii, 1909, p. 81. Paratype.
Anodontonyx insularis Lea. *Id.*, xliii, 1919, p. 217. Paratype.
niger Lea. *Id.*, xliii, 1919, p. 219. Paratype.
Aphodius geminatus Macleay (*Pedaria*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 183. Holotype.
Ataenius illaetabilis Lea. *Proc. Roy. Soc. Vic.*, xxxvi (N.S.), 1, 1923, p. 11. Paratypes.
integricollis Lea. *Id.*, xxxvi (N.S.), 1, 1923, p. 10. Paratype.
Bolboceras gayndahense Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 185. Holotype and Paratype.
sloanei Blackburn. *Proc. Linn. Soc. N. S. Wales*, iii (2), 1888, p. 1393. Paratypes ♂ and ♀.
Byrrhomorpha basicollis Lea. *Trans. Roy. Soc. South Aust.*, xliii, 1919, p. 224. Paratype.
rudis Lea. *Id.*, xliii, 1919, p. 223. Paratype.
Canthonosoma mastersi Macleay (= *C. castelnaui* Harald, 1868). *Trans. Ent. Soc.* ii, 1871, p. 176. Holotype ♂, Allotype ♀, Paratype ♀.
Cephalodesmius quadridens Macleay. *Id.*, ii, 1871, p. 176. Holotype and Paratype.

- Cryptodus incornutus* Macleay. *Id.*, ii, 1871, p. 202. Holotype.
obscurus Macleay (= *C. paradoxus* Macleay, 1819). *Id.*, ii, 1871, p. 201. Holotype and Paratype.
subcostatus Macleay (= *C. paradoxus* Macleay, 1819). *Id.*, ii, 1871, p. 201. Holotype and Paratype.
- Dasygnathus mastersi* Macleay. *Id.*, ii, 1871, p. 199. Holotype.
- Diaphonia euclensis* Blackburn. *Proc. Linn. Soc. N. S. Wales*, viii (2), 1893, p. 248. Paratype.
gulosa Janson, 1873, var. *angustiflava* Lea. *Trans. Roy. Soc. South Aust.*, liii, 1929, p. 212. Holotype and Paratype.
- Diphucephala dicksoniae* Lea. *Proc. Linn. Soc. N. S. Wales*, lv, 4, 1930, p. 451. Paratype.
insularis Lea. *Trans. Roy. Soc. South Aust.*, xl, 1916, p. 287. Paratype.
montana Lea. *Proc. Linn. Soc. N. S. Wales*, lv, 4, 1930, p. 453. Paratype.
- Haplonycha bidentipes* Lea. *Trans. Roy. Soc. South Aust.*, 1, 1926, p. 56. Paratypes.
cara Lea. *Id.*, xli, 1917, p. 507. Paratypes.
iridea Lea. *Proc. Linn. Soc. N. S. Wales*, lv, 4, 1930, p. 457. Paratypes.
pinguis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 193. Holotype and Paratype.
tindalei Lea. *Trans. Roy. Soc. South Aust.*, 1, 1926, p. 55. Paratype.
villosa Lea. *Id.*, xli, 1917, p. 506. Paratype.
- Heteronychus irregularis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 199. Holotype.
picipes Macleay. *Id.*, ii, 1871, p. 198. Holotype.
vulgivagus Olliff. *Mem. Aust. Mus.*, ii, 1899, p. 84. Holotype and Paratype.
- Heteronyx castaneus* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 194. Holotype.
holosericeus Macleay. *Id.*, ii, 1871, p. 194. Holotype and Paratype.
infuscatus Macleay. *Id.*, ii, 1871, p. 195. Holotype.
pubescentis Macleay. *Id.*, ii, 1871, p. 194. Holotype and Paratype.
ruficollis Macleay. *Id.*, ii, 1871, p. 196. Holotype.
rugosipennis Macleay. *Id.*, ii, 1871, p. 196. Holotype and Paratype.
- Homalotropus luridipennis* Macleay. *Id.*, ii, 1871, p. 193. Holotype and Paratype.
- Isodon laevicollis* Macleay. *Id.*, ii, 1871, p. 198. Holotype.
laevipennis Blackburn. *Trans. Roy. Soc. South Aust.*, xx, 1896, p. 240. Paratype.
puncticollis Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 197. Holotype.
- Liparetrus aridus* Blackburn. *Trans. Roy. Soc. South Aust.*, xix, 1895, p. 34. Paratype.
flavipennis Lea. *Id.*, xli, 1917, p. 545. Paratype.
flavopilosus Macleay (= *L. fulvohirtus* Macleay, 1871). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 190. Holotype.
flavus Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 550, pl. xxxvii, f. 134. Paratype.
fulvohirtus Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 189. Holotype and Paratype.
glaber Macleay (= *L. glaberatus* Burmeister). *Id.*, ii, 1871, p. 191. Holotype and Paratype.
insignis Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 532, pl. xxxvii, f. 117. Paratype.
lepidopygus Lea. *Id.*, xli, 1917, p. 533, pl. xxxvii, f. 119. Paratype.
metaleucae Lea. *Id.*, xli, 1917, p. 540, pl. xxxvii, f. 126. Paratype.
pallidus Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 190. Holotype and Paratype.
parvulus Macleay. *Id.*, ii, 1871, p. 192. Holotype and Paratypes.
pilosus Macleay. *Id.*, ii, 1871, p. 190. Holotype and Paratype.
rufiventris Macleay. *Id.*, ii, 1871, p. 191. Holotype.

- Liparetrus sericius* Macleay. *Id.*, ii, 1871, p. 189. Holotype and Paratype.
tridentatus Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 191. Holotype and Paratype.
- Maechidius hoplocephalus* Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 513; pl. xxxvii, f. 89. Paratype.
marginalis Lea. *Id.*, xliii, 1919, p. 232. Paratype.
obscurus Macleay (= *M. hopeanus* Westwood, 1842). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 188. Holotype and Paratype.
parvulus Macleay. *Id.*, ii, 1871, p. 189. Holotype and Paratype.
rugosicollis Macleay. *Id.*, ii, 1871, p. 188. Holotype and Paratype.
savagei Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 513. Paratypes.
variolosus Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 188. Holotype.
- Merodontus calcaratus* Macleay (*Platyphymatia*). *Id.*, ii, 1871, p. 178. Holotype and Paratype.
- Microvalgus bursariae* Lea. *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 208. Paratype.
vagans Lea. *Id.*, xxxviii, 1914, p. 209, pl. xiii, f. 191-192. Paratypes.
- Onodontonyx brunneipennis* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 197. Holotype.
- Onthophagus incornutus* Macleay. *Id.*, ii, 1871, p. 181. Holotype and Paratype.
mastersi Macleay (= *O. thoreyi* Harald, 1868). *Id.*, ii, 1871, p. 181. Holotype and Paratype.
perpilosus Macleay. *Id.*, ii, 1871, p. 181. Holotype.
quinetuberculatus Macleay. *Id.*, ii, 1871, p. 182. Holotype and Paratype.
rubicundulus Macleay. *Id.*, ii, 1871, p. 180. Holotype.
submetallicus Lea. *Rec. South Aust. Mus.*, ii, 3, 1923, p. 383. Paratype.
- Panelus hopsoni* Carter. *Proc. Linn. Soc. N. S. Wales*, lxi, 1-2, 1936, p. 99, f. 2. Holotype.
politus Carter. *Id.*, lxi, 1-2, 1936, p. 100. Holotype.
- Pedaris alternata* Lea. *Rec. South Aust. Mus.*, ii, 3, 1923, p. 394. Paratypes.
interrupta Carter. *Proc. Linn. Soc. N. S. Wales*, lxi, 1-2, 1936, p. 101. Holotype.
- Phyllotocus sericeus* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 187. Holotypes and Paratypes.
variicollis Macleay. *Id.*, ii, 1871, p. 187. Holotype and Paratype.
- Pseudoheteronyx seticollis* Lea. *Trans. Roy. Soc. South Aust.*, xliii, 1919, p. 220, pl. xxvi, f. 61. Paratype.
- Repsimus purpureipes* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 197. Holotype and Paratype.
- Saprosites mesosternalis* Lea. *Proc. Roy. Soc. Vic.*, xxxvi (N.S.), 1923, p. 13. Paratype.
- Temnoplectron tibiale* Macleay. *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 177. Holotype.
- Schizorrhina hirticeps* Macleay (*Pseudoclitiria*). *Id.*, ii, 1871, p. 203. Holotype and Paratype.
mastersi Macleay (*Pseudoclitiria*). *Id.*, ii, 1871, p. 202. Holotype and Paratype.
nigrans Macleay (= *Pseudoclitiria hirticeps* Macl., 1871, var. *nigrans* Macl.). *Id.*, ii, 1871, p. 203. Holotype and Paratype.
pulchra Macleay (= *Glycyphana papua* Wallengren var. *pulchra* Macl.). *Id.*, ii, 1871, p. 203. Holotype and Paratype.
viridicupreum Macleay (= *Lenosoma fulgens* Macleay, 1863). *Id.*, ii, 1871, p. 204. Holotype.
- Scitula armaticeps* Macleay (*Neso*). *Id.*, ii, 1871, p. 192. Holotype and Paratype.
australis Macleay (*Sericesthis*). *Id.*, ii, 1871, p. 192. Holotype.
- Semanopterus convexiusculus* Macleay. *Id.*, ii, 1871, p. 201. Holotype.
depressiusculus Macleay (= *S. subcostatus* Castelnau, 1840). *Id.*, ii, 1871, p. 200. Holotype and Paratype.
distributus Blackburn. *Trans. Roy. Soc. South Aust.*, 1896, p. 252. Paratype.
rectangulus Blackburn. *Id.*, xix, 1895, p. 41. Paratype.

- Valgus castaneipennis* Macleay (*Microvalgus*). *Trans. Ent. Soc. N. S. Wales*, ii, 1871, p. 205. Holotype.
nigrinus Macleay (*Microvalgus*). *Id.*, ii, 1871, p. 205. Holotype.

CERAMBYCIDAE.

- Ancita albopicta* McKeown. *Rec. Aust. Mus.*, xxi, 2, 1942, p. 98, text-fig. 10. Holotype.
fasciculata Blackburn. *Trans. Roy. Soc. South Aust.*, xvi, 1893, p. 197. Paratypes.
Aphiorhynchus costatus McKeown. *Aust. Zool.*, ix, 2, 1938, p. 177, pl. xv, f. 1. Holotype and Paratypes.
versicolor McKeown. *Id.*, ix, 2, 1938, p. 178, pl. xv, f. 7. Holotype and Paratypes.
Aridaeus clerooides McKeown (*Cremys*). *Rec. Aust. Mus.*, xx, 3, 1938, p. 207, pl. xxii, f. 3. Holotype and Allotype.
princeps Carter. *Proc. Linn. Soc. N. S. Wales*, lix, 3-4, 1934, p. 266. Holotype.
Atesta angasi Pascoe, 1864, var. *unicolor* Carter. *Id.*, liv, 3, 1929, p. 132. Paratype.
Athemistus aberrans Carter. *Id.*, lvii, 3-4, 1932, p. 113. Holotype.
aborigine Carter. *Id.*, li, 4, 1926, p. 496. Paratype.
barretti Carter. *Id.*, li, 4, 1926, p. 500, f. 4. Holotype.
harrisoni Carter. *Id.*, li, 4, 1926, p. 497. Paratype.
laevicollis Carter. *Id.*, li, 4, 1926, p. 498. Paratype.
macleayi Carter. *Id.*, li, 4, 1926, p. 495. Holotype and Paratype.
orbicollis Carter. *Trans. Roy. Soc. South Aust.*, lxi, 1937, p. 144. Holotype.
tricolor Carter. *Id.*, li, 4, 1926, p. 499. Paratype.
Austrosomatidia pulleni McKeown. *Rec. Aust. Mus.*, xxi, 6, 1945, p. 288, text-fig. 3. Holotype.
Brachytria angulata McKeown. *Rec. Aust. Mus.*, xx, 3, 1938, p. 208, pl. xxii, f. 2. Holotype.
discopunctata McKeown. *Id.*, xx, 3, 1938, p. 207, pl. xxii, f. 4. Holotype.
occidentalis McKeown. *Id.*, xx, 3, 1938, p. 209, pl. xxiii, f. 3. Holotype.
Ceraegidia dorrigoensis McKeown. *Id.*, xx, 2, 1937, p. 193, f. 1, 3, 4, 1a, b, c. Holotype ♀, Allotype ♂, and Paratypes ♂ and ♀.
Ceresium australe Carter. *Proc. Linn. Soc. N. S. Wales*, lvii, 3-4, 1932, p. 115. Holotype.
procerum Olliff. *Rec. Aust. Mus.*, i, 3, 1890, p. 74, pl. x, f. 3. Holotype.
Chaodalis taylori McKeown. *Rec. Aust. Mus.*, xxi, 2, 1942, p. 93. Holotype ♀ and Allotype ♂.
Citriphaga mixta Lea. *Agric. Gaz. N. S. Wales*, xxx, 4, 1919, p. 261, f. 1-4. Paratype.
Coptopterus decoratus McKeown. *Rec. Aust. Mus.*, xx, 5, 1940, p. 302, pl. xxxi, fig. 6. Paratype.
hirsutus McKeown. *Id.*, xxi, 2, 1942, p. 86. Holotype ♀ and Allotype ♂.
maculatus McKeown. *Id.*, xx, 5, 1940, p. 304. Holotype.
musgravei McKeown. *Id.*, xx, 5, 1940, p. 303. Holotype ♀.
partitus McKeown. *Id.*, xx, 5, 1940, p. 304. Holotype ♂.
scriptelytron McKeown. *Id.*, xx, 5, 1940, p. 305. Holotype ♂.
stramineous McKeown. *Id.*, xx, 5, 1940, p. 306, pl. xxxi, fig. 3. Holotype ? ♀.
Corrhenes cordata McKeown. *Id.*, xxi, 2, 1942, p. 103. Holotype.
nigrothorax McKeown. *Id.*, xxi, 2, 1942, p. 104. Holotype.
Didymocantha gracilis McKeown. *Id.*, xxi, 2, 1942, p. 81. Paratype ♂.
Dihammus artius Olliff. *Proc. Linn. Soc. N. S. Wales*, v (2), 1890, p. 9. Holotype.
Disterna maculata McKeown. *Rec. Aust. Mus.*, xx, 3, 1938, p. 211, pl. xxii, f. 6. Holotype.
Ectositcta ornata Blackburn (*Bethelium*). *Trans. Roy. Soc. South Aust.*, xv, 1892, p. 66. Paratype.
Elastostoma insulana Olliff. *Rec. Aust. Mus.*, i, 3, 1890, p. 74, pl. x, f. 7. Holotype.
Enneaphyllus middletoni McKeown. *Id.*, xxi, 6, 1945, p. 286, figs. 1-2. Holotype ♂.
Eroschema apicipenne McKeown. *Id.*, xxi, 2, 1942, p. 92. Holotype.

- Gastrophacodes ventricosus* Lea. *Trans. Roy. Soc. South Aust.*, xl, 1916, p. 395, pl. xxxii, f. 4. Paratype.
- Hesthesis cingulata* Kirby, 1818, var. I. Carter. *Proc. Linn. Soc. N. S. Wales*, liii, 5, 1928, p. 546. Holotype.
crabroides Carter. *Id.*, liii, 5, 1928, p. 547. Paratype.
divergens Carter. *Id.*, lviii, 3-4, 1933, p. 180. Holotype.
montana Carter. *Id.*, liii, 5, 1928, p. 548. Paratype.
rufodorsalis Carter. *Id.*, lvii, 3-4, 1932, p. 114. Holotype and Allotype.
- Homaemota tricolor* Lea. *Rec. South Aust. Mus.*, i, 1, 1918, p. 94. Paratypes.
- Howea angulata* Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 95. Holotype.
- Karadinia nobilis* McKeown. *Rec. Aust. Mus.*, xxi, 2, 1942, p. 97, text-fig. 9. Holotype.
- Macrones brandoni* McKeown. *Rec. Aust. Mus.*, xx, 3, 1938, p. 204, pl. xxiii, f. 5, Text-f. 5, 5a. Holotype and Paratypes.
- Mecynopus annulicornis* McKeown. *Id.*, xxi, 2, 1942, p. 92. Holotype.
- Mesolita antennalis* Carter. *Proc. Linn. Soc. N. S. Wales*, liv, 1929, p. 79. Holotype.
interrupta Lea. *Rec. South Aust. Mus.*, i, 1, 1918, p. 99, pl. ix, f. 10. Paratype.
myrmecophila Lea. *Id.*, i, 1, 1918, p. 102, pl. ix, f. 9. Paratype.
- Microtragus bifasciatus* Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 624. Paratype.
browni Carter. *Proc. Linn. Soc. N. S. Wales*, lvii, 3-4, 1932, p. 114. Holotype.
echinatus Carter. *Id.*, li, 4, 1926, p. 504. Holotype ♂ and Allotype ♀.
tuberculatus Carter. *Id.*, lix, 3-4, 1934, p. 268, f. 5. Holotype.
- Monohammus aestheticus* Olliff (*Dihammus*). *Proc. Linn. Soc. N. S. Wales*, v (2), 1890, p. 8. Holotype.
- Neouracanthus nigroterminatus* McKeown. *Rec. Aust. Mus.*, xx, 3, 1938, p. 203, pl. xxii, f. 1. Holotype ♂ and Allotype ♀.
- Nerida carabiformis* McKeown. *Id.*, xx, 5, 1940, p. 294, pl. xxxii, fig. 3. Holotype.
intricata McKeown. *Id.*, xx, 5, 1940, p. 294, pl. xxxi, fig. 1. Holotype.
- Nothophysis barnardi* Olliff (= *Elaptus simulator* Pascoe, 1867). *Proc. Linn. Soc. N. S. Wales*, v (2), 1890, p. 7. Holotype.
- Notoceresium elongata* McKeown. *Rec. Aust. Mus.*, xxi, 2, 1942, p. 82, text-fig. 1. Holotype ♀ and Allotype ♂.
setistriatus McKeown. *Id.*, xxi, 2, 1942, p. 82, text-fig. 2. Holotype ♀ and Allotype ♂.
- Nungena binocularis* McKeown. *Id.*, xxi, 2, 1942, p. 96, text-fig. 8. Holotype ♂.
- Ochyra coarctata* Pasc. var. *polyrhachis* McKeown. *Id.*, xxi, 6, 1945, p. 287. Holotype.
- Opsidota gracilis* McKeown. *Id.*, xxi, 2, 1942, p. 86, text-fig. 4. Holotype ♀ and Allotype ♂.
- Pachydissus sweersensis* McKeown. *Id.*, xx, 5, 1940, p. 297. Holotype.
- Parmenomorpha wasselli* Carter. *Proc. Linn. Soc. N. S. Wales*, lvii, 3-4, 1932, p. 113. Holotype.
- Pempsamacra carteri* McKeown. *Rec. Aust. Mus.*, xxi, 2, 1942, p. 95. Holotype ♀ and Allotype ♂.
- Penthea adamsae* McKeown. *Id.*, xx, 3, 1938, p. 213, pl. xxii, f. 5. Holotype.
tigrina Blackburn. *Trans. Roy. Soc. South Aust.*, xxv, 1901, p. 37. Paratype.
lichenosus McKeown. *Rec. Aust. Mus.*, xxi, 2, 1942, p. 103. Holotype ♀ and Allotype ♂.
- Phacodes mirabilis* McKeown. *Id.*, xx, 5, 1940, p. 297, pl. xxxi, fig. 4. Holotype.
- Phantissus citatus* McKeown. *Id.*, xx, 5, 1940, p. 307, pl. xxxii, fig. 2. Holotype.
- Piesarthrius bleeserae* McKeown. *Id.*, xxi, 2, 1942, p. 85. Holotype ♂.
gearyi McKeown. *Id.*, xx, 5, 1940, p. 300, pl. xxxii, fig. 4. Holotype ♂.
reticulatus McKeown. *Id.*, xx, 5, 1940, p. 301, pl. xxxi, fig. 2. Holotype ♂.
rufostavus McKeown. *Id.*, xx, 5, 1940, p. 301, pl. xxxii, fig. 6. Holotype ♀.
- Platyomopsis fraserensis* Blackburn. *Trans. Roy. Soc. S. Aust.*, xvi, 1893, p. 198. Holotype.

- Porithodes pustulata* Carter. *Proc. Linn. Soc. N. S. Wales*, lv, 5, 1930, p. 548. Holotype.
- Prosoplus metallescens* Breuning. *Festschrift f. Embrik Strand*, iv, 1938, p. 352. Paratype.
- Pytheus castaneus* McKeown. *Rec. Aust. Mus.*, xxi, 2, 1942, p. 93. Holotype.
- Rhinophthalmus hyalinatus* McKeown. *Id.*, xxi, 2, 1942, p. 88, text-fig. 5. Holotype.
- parvus* McKeown. *Id.*, xxi, 2, 1942, p. 89, text-fig. 6. Holotype ♀ and Allotype ♂.
- Rhytiphora browni* McKeown. *Id.*, xx, 3, 1938, p. 212, pl. xxiii, f. 4. Holotype ♀, Allotype ♂, and Paratypes ♂ and ♀.
- maculosella* Blackburn. *Trans. Roy. Soc. South Aust.*, xxvi, 1902, p. 320. Paratype.
- rosei* Olliff. *Proc. Linn. Soc. N. S. Wales*, v (2), 1890, p. 10. Holotype.
- Scelecantha carteri* McKeown. *Rec. Aust. Mus.*, xx, 3, 1938, p. 201, f. 1. Holotype.
- cuneata* McKeown. *Id.*, xx, 3, 1938, p. 200, f. 2. Holotype and Paratype.
- garnseyi* McKeown. *Id.*, xx, 3, 1938, p. 202, f. 3. Holotype.
- Scolecobrotus uniformis* Lea. *Trans. Roy. Soc. South Aust.*, xl, 1916, p. 388. Paratype.
- Simocrysa tricolor* McKeown. *Rec. Aust. Mus.*, xxi, 2, 1942, p. 91. Holotype.
- Sisyrium apicale* Carter. *Proc. Linn. Soc. N. S. Wales*, liv, 3, 1929, p. 135. Holotype.
- Sodus zic-zac* McKeown. *Rec. Aust. Mus.*, xxi, 2, 1942, p. 104. Holotype.
- Somatidia aranea* Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 97. Holotype.
- capillosa* Olliff. *Id.*, ii, 1889, p. 97. Holotype.
- pulchella* Olliff. *Id.*, ii, 1889, p. 96, pl. vi, f. 4. Holotype.
- pernitida* McKeown. *Rec. Aust. Mus.*, xx, 3, 1938, p. 210. Holotype.
- Stenellipsis spencei* McKeown. *Id.*, xxi, 2, 1942, p. 97. Holotype.
- Syllitosimilis aberrans* McKeown. *Aust. Zool.*, ix, 2, 1938, p. 178, pl. xv, f. 2, text-fig. 7. Allotype ♂ and Paratype ♀.
- Syllitus acanthias* McKeown. *Rec. Aust. Mus.*, xx, 2, 1937, p. 113, pl. xix, f. 5, 5a. Holotype and Paratypes.
- argillaceus* McKeown. *Id.*, xx, 2, 1937, p. 113, pl. xix, f. 8. Paratype.
- aracariæ* McKeown. *Aust. Zool.*, ix, 2, 1938, p. 174, pl. xv, f. 4, text fig. 2. Paratypes.
- bellulus* McKeown. *Rec. Aust. Mus.*, xxi, 2, 1942, p. 89, text fig. 7. Holotype.
- brimblecombei* McKeown. *Aust. Zool.*, ix, 2, 1938, p. 174, pl. xv, f. 10, text fig. 6. Paratypes.
- cassiniæ* McKeown. *Id.*, ix, 2, 1938, p. 175, pl. xv, f. 5, text fig. 4. Paratype.
- centocrus* McKeown. *Id.*, ix, 2, 1938, p. 175, pl. xv, f. 9. Holotype.
- divergens* McKeown. *Rec. Aust. Mus.*, xx, 2, 1937, p. 114, pl. xix, f. 6. Holotype and Paratypes.
- dubius* McKeown. *Aust. Zool.*, ix, 2, 1938, p. 176, pl. xv, f. 6, text-f. 3. Paratype.
- froggatti* McKeown. *Rec. Aust. Mus.*, xx, 2, 1937, p. 114, pl. xix, f. 2. Holotype and Paratype.
- microps* Blackburn. *Proc. Roy. Soc. Vic.*, 1900, p. 232. Paratype.
- minutus* McKeown. *Rec. Aust. Mus.*, xx, 2, 1937, p. 115, pl. xix, f. 1. Paratype.
- sinuaticosta* McKeown. *Aust. Zool.*, ix, 2, 1938, p. 176, pl. xv, f. 5, text f. 5. Holotype.
- sinuatus* McKeown. *Rec. Aust. Mus.*, xx, 2, 1937, p. 115, pl. xix, f. 4, 4a. Holotype and Paratypes.
- tuberculatus* McKeown. *Aust. Zool.*, ix, 2, 1938, p. 176, pl. xv, f. 8, text f. 1. Holotype ♀, Allotype ♂, and Paratypes.
- unistriatus* McKeown. *Rec. Aust. Mus.*, xxi, 2, 1942, p. 91. Holotype.
- Temnosternus catulus* McKeown. *Id.*, xxi, 2, 1942, p. 99. Paratype.
- flavoscriptus* (= *flavolineatus*) McKeown. *Id.*, xxi, 2, 1942, p. 99. Paratype.
- imbilensis* McKeown. *Id.*, xx, 5, 1940, p. 34, pl. xxxii, fig. 1. Paratypes.
- quadrituberculatus* McKeown. *Id.*, xxi, 2, 1942, p. 102. Paratypes.
- undulatus* McKeown. *Id.*, xxi, 2, 1942, p. 102. Holotype.

- Tessaromma aurata* McKeown. *Id.*, xxi, 2, 1942, p. 83. Holotype.
loxleyae McKeown. *Id.*, xxi, 2, 1942, p. 83. Holotype.
sordida McKeown. *Id.*, xx, 5, 1940, p. 299. Holotype.
truncatispina McKeown. *Id.*, xx, 5, 1940, p. 299. Holotype.
- Tilloforma bicolor* McKeown. *Id.*, xxi, 6, 1945, p. 290, text fig. 6. Holotype.
- Titurius intonsodorsalis* McKeown. *Id.*, xxi, 2, 1942, p. 94. Holotype.
salebrosus McKeown. *Id.*, xxi, 2, 1942, p. 94. Holotype ♀ and Allotype ♂.
- Toxeutes rasilis* Olliff (= *Cacodacnus hebridanus* Thomson, 1860). *Proc. Linn. Soc. N. S. Wales*, ii (2), 1887, p. 1010. Holotype.
- Tragocerus cylindricus* Carter. *Id.*, lix, 3-4, 1934, p. 267, f. 4. Holotype.
- Tya stellata* McKeown. *Rec. Aust. Mus.*, xx, 5, 1940, p. 308, pl. xxxi, fig. 5. Holotype ? ♂.
- Uracanthus cryptophagus* Olliff. *Agric. Gaz. N. S. Wales*, iii, 1892, p. 896, pl. lvii. Holotype.
discicollis Lea. *Trans. Roy. Soc. South Aust.*, xl, 1916, p. 373, pl. xxxii, f. 8-9. Paratype.
insignis Lea. *Id.*, xl, 1916, p. 370, pl. xxxii, f. 5. Paratype.
maleficus Lea. *Proc. Linn. Soc. N. S. Wales*, xli, 1916 (1917), p. 739, fig. ♂. Paratype.
- Wahn zonulitis* McKeown. *Rec. Aust. Mus.*, xx, 5, 1940, p. 295, pl. xxxii, fig. 5. Holotype ♀ and Allotype ♂.
- Xylotoles segrex* Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 96. Holotype.
- Zygocera norfolkensis* McKeown. *Rec. Aust. Mus.*, xx, 3, 1938, p. 211, pl. xxii, f. 1. Holotype.

CHRYSOMELIDAE.

- Adimonia fugitiva* Lea. *Trans. Roy. Soc. South Aust.*, i, 1926, p. 83. Paratype.
- Agetinus abjectus* Lea. *Id.*, xxxix, 1915, p. 269. Paratype.
hackeri Lea. *Id.*, xxxix, 1915, p. 268. Paratypes.
nitidivirgatus Lea. *Id.*, xxxix, 1915, p. 270, pl. viii, f. 131, 157. Paratypes.
- Alittus scutellaris* Lea. *Id.*, xxxix, 1915, p. 274. Paratype.
- Ateratocerus intricatus* Blackburn. *Proc. Linn. Soc. N. S. Wales*, v (2), 1890, p. 357. Paratype.
- Augomela tibialis* Lea. *Trans. Roy. Soc. South Aust.*, xl, 1916, p. 412. Paratypes.
- Aulocophora tetrastictoptera* Lea. *Mem. Qld. Mus.*, viii, 1, 1924, p. 50. Paratype.
- Brontispa castanea* Lea. *Trans. Roy. Soc. South Aust.*, i, 1926, p. 84. Paratype.
- Candezia lata* Lea. *Proc. Linn. Soc. N. S. Wales*, xlvi, 4, 1923, p. 570. Paratype.
leai Blackburn. *Trans. Roy. Soc. South Aust.*, xviii, 1894, p. 237. Paratype.
- Chrysomela acaciae* Lea. *Id.*, xl, 1916, p. 400. Paratype.
- Cleptor laevicollis* Lea. *Id.*, xxxix, 1915, p. 312, pl. vii, f. 91, pl. viii, f. 147-148. Paratypes.
multicolor Lea. *Id.*, xxxix, 1915, p. 304. Paratype.
- Colaspoides picticornis* Lea. *Id.*, xxxix, 1915, p. 287, pl. viii, f. 139. Paratype.
- Ditropidus apicipennis* Lea. *Rec. South Aust. Mus.*, i, 4, 1921, p. 391. Paratype.
brevicollis Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 226. Paratype.
cognatus Lea. *Rec. South Aust. Mus.*, i, 4, 1921, p. 404. Paratype.
coriaceus Lea. *Proc. Linn. Soc. N. S. Wales*, xlv, 3, 1920, p. 397. Paratype.
cribripennis Lea. *Trans. Roy. Soc. South Aust.*, liv, 1920, p. 226. Paratype.
flavipes Lea. *Id.*, liv, 1920, p. 224. Paratype.
flavolateralis Lea. *Id.*, liv, 1920, p. 238. Paratype.
gagates Lea. *Rec. South Aust. Mus.*, i, 4, 1921, p. 409. Paratype.
gibbicollis Lea. *Id.*, i, 4, 1921, p. 381. Paratype.
lateroapicalis Lea. *Trans. Roy. Soc. South Aust.*, liv, 1920, p. 237. Paratypes.
macrocephalus Lea. *Id.*, liv, 1920, p. 242. Paratypes.

- Ditropidus minutus* Lea. *Id.*, liv, 1920, p. 239. Paratypes.
oblongipennis Lea. *Id.*, liv, 1920, p. 232. Paratypes.
opaciceps Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 227. Paratype.
pubescens Lea. *Trans. Roy. Soc. South Aust.*, liv, 1920, p. 223. Paratype.
punctivarius Lea. *Rec. South Aust. Mus.*, i, 4, 1921, p. 408. Paratypes.
semicrudus Lea. *Trans. Roy. Soc. South Aust.*, liv, 1920, p. 230. Paratype.
solitus Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 223. Paratypes.
tranquillus Lea. *Proc. Linn. Soc. N. S. Wales*, xlv, 3, 1920, p. 398. Paratype.
tropicus Lea. *Mem. Qld. Mus.*, vii, 3, 1921, p. 224. Paratypes.
vagans Lea. *Id.*, vii, 3, 1921, p. 225. Paratypes.
vicarius Lea. *Id.*, vii, 3, 1921, p. 225. Paratype.
- Edusa abdominalis* Lea (*Edusella*). *Trans. Roy. Soc. South Aust.*, xxxix, 1915, p. 209, pl. vii, f. 116. Paratype.
posthumeralis Lea (*Edusella*). *Id.*, xxxix, 1915, p. 223. Paratype.
pulchra Lea (*Edusella*). *Id.*, xliii, 1919, p. 348, f. 6-7. Holotype.
virgatipes Lea (*Edusella*). *Id.*, xxxix, 1915, p. 231. Paratypes.
- Elaphodes nigrovarius* Lea. *Id.*, xlv, 1920, p. 250. Paratype.
- Geomela blackburni* Lea. *Id.*, xl, 1916, p. 248. Paratypes.
- Geloptera miracula* Lea. *Id.*, xxxix, 1915, p. 251. Paratypes.
orientalis Lea. *Id.*, xxxix, 1915, p. 242, pl. vii, f. 71-72. Paratype ♀.
pallipes Lea. *Id.*, xxxix, 1915, p. 254. Paratype.
porosa Lea. *Id.*, xxxix, 1915, p. 250. Paratype.
setifera Lea. *Id.*, xxxix, 1915, p. 243. Paratypes.
tibialis Lea. *Id.*, xxxix, 1915, p. 258, pl. vii, f. 125-126. Paratype ♀.
- Lamprolina hackeri* Lea. *Proc. Linn. Soc. N. S. Wales*, xl, 3, 1915, p. 521. Paratype.
- Monolepta abundans* Lea. *Id.*, xlviii, 4, 1923, p. 540. Paratypes.
antennalis Lea. *Id.*, xlviii, 4, 1923, p. 543. Paratype.
dilutor Blackburn. *Trans. Roy. Soc. South Aust.*, 1896, p. 91. Paratypes.
foveiventris Lea. *Proc. Linn. Soc. N. S. Wales*, xlviii, 4, 1923, p. 537. Paratypes.
hypomela Lea. *Id.*, xlviii, 4, 1923, p. 530. Paratype.
intricata Lea. *Id.*, xlviii, 4, 1923, p. 561. Paratype.
minuscule Lea. *Id.*, xlviii, 4, 1923, p. 544. Paratypes.
pachycera Lea. *Id.*, xlviii, 4, 1923, p. 539. Paratype.
panophila Lea. *Id.*, xlviii, 4, 1923, p. 541. Paratype.
semiflava Lea. *Id.*, xlviii, 4, 1923, p. 553. Paratype.
- Neorupilia flava* Lea. *Proc. Roy. Soc. Vic.*, xxxvii (N.S.), 1925, p. 9. Paratype.
- Paropsis nigrolineata* Lea. *Rec. South Aust. Mus.*, ii, 4, 1924, p. 537. Paratype.
niobe Blackburn. *Proc. Linn. Soc. N. S. Wales*, 1898, p. 696. Paratypes.
trimorpha Lea. *Rec. South Aust. Mus.*, ii, 4, 1924, p. 529. Paratype.
- Plectroscelis calida* Blackburn. *Trans. Roy. Soc. South Aust.*, 1896, p. 59. Paratype.
- Rhyaparida atra* Lea. *Id.*, xxxix, 1915, p. 149, pl. vii, f. 96. Paratype.
flavolatera Lea. *Id.*, xxxix, 1915, p. 152, pl. vii, f. 48. Paratype.
halticodes Lea. *Id.*, xxxix, 1915, p. 156. Paratypes.
mediovittata Lea. *Id.*, xxxix, 1915, p. 154, pl. vii, f. 50-1. Paratype.
minuscule Lea. *Id.*, xxxix, 1915, p. 164. Paratype.
tenuis Lea. *Id.*, xxxix, 1915, p. 164. Paratype.
tropica Lea. *Id.*, xxxix, 1915, p. 157, pl. vii, f. 55-57. Paratype.
uniformis Blackburn. *Proc. Linn. Soc. N. S. Wales*, iii (2), 1888, p. 1483. Paratype.
- Rupilia insignis* Lea. *Proc. Roy. Soc. Vic.*, xxxvii (N.S.), 1925, p. 4. Paratype.
- Scolodonta brevipilis* Lea. *Trans. Roy. Soc. South Aust.*, xxxix, 1915, p. 168, pl. vii, f. 107. Paratype.
- Tomyris laeta* Blackburn (*Odontionopa*). *Proc. Linn. Soc. N. S. Wales*, iv (2), 1889, p. 468. Paratype.

Trypocolaspis biimpressa Lea. *Trans. Roy. Soc. South Aust.*, xxxix, 1915, p. 234, pl. viii, f. 151. Paratype.

punctatostrata Lea. *Id.*, xxxix, 1915, p. 327. Paratype.

SCOLYTIDAE.

Phloeophthorus acaciae Lea. *Proc. Roy. Soc. Vic.*, xx (N.S.), 1909, p. 146. Paratype.

CURCULIONIDAE.

Acantholophus mastersi Macleay. *Trans. Ent. Soc. N. S. Wales*, i, 1866, p. 327. Holotype.

posticalis Macleay. *Id.*, i, 1866, p. 327. Holotype and Paratype.

suttoni Carter. *Proc. Linn. Soc. N. S. Wales*, lxi, 1-2, 1936, p. 109. Holotype.

Ampagia squamibunda Lea. *Trans. Ent. Soc. Lond.*, 1929, p. 188, pl. xvi, f. 13-18. Paratype.

Aolles fasciatus Lea. *Trans. Roy. Soc. South Aust.*, li, 1927, p. 157. Paratype.

maculipennis Lea. *Id.*, li, 1927, p. 159. Paratype.

marmoratus Lea. *Id.*, li, 1927, p. 157. Paratype.

Aphanocorynes procerus Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 93. Holotype and Paratype.

semirufrostris Lea. *Proc. Linn. Soc. N. S. Wales*, xxxix, 1914 (1915), p. 689.

Paratypes.

Apion astri Lea. *Id.*, li, 3, 1926, p. 342. Paratypes.

australasiae Lea. *Deut. Ent. Zeit.*, 1910, p. 514. Paratypes.

hoblerae Lea. *Proc. Linn. Soc. N. S. Wales*, xxxix, 4, 1914, p. 678. Paratypes.

interoculare Lea. *Id.*, li, 3, 1926, p. 345. Paratypes.

melvillense Lea. *Id.*, li, 3, 1926, p. 347. Paratypes.

microscopicum Lea. *Trans. Roy. Soc. South Aust.*, xxxiv, 1910, p. 35. Paratype.

orthodoxum Lea. *Proc. Linn. Soc. N. S. Wales*, li, 3, 1926, p. 349. Paratype.

quadricolor Lea. *Id.*, li, 3, 1926, p. 348. Paratypes.

rivulare Lea. *Id.*, li, 3, 1926, p. 349. Paratypes.

Auletes anthracinus Lea. *Id.*, li, 3, 1926, p. 356. Paratype.

laterirostris Lea. *Id.*, li, 3, 1926, p. 358. Paratype.

obscurus Lea. *Id.*, li, 3, 1926, p. 357. Paratype.

Baris angophorae Lea. *Trans. Roy. Soc. South Aust.*, xxx, 1906, p. 86. Paratype.

australiae Lea. *Id.*, xxx, 1906, p. 88. Paratype.

oblonga Lea. *Id.*, xxx, 1906, p. 89. Paratype.

sororia Lea. *Id.*, xxx, 1906, p. 87. Paratype.

subopaca Lea. *Id.*, xxx, 1906, p. 87. Paratype.

vagans Lea. *Id.*, xxx, 1906, p. 88. Paratype.

Basedowia basicollis Lea. *Id.*, liv, 1930, p. 150, fig. Paratype.

Belus acrobeles Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 91, pl. vi, f. 2. Holotype.

angustatus Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 607. Paratype.

mimicus Lea. *Id.*, xli, 1917, p. 600. Paratypes.

variabilis Lea. *Id.*, xli, 1917, p. 605. Paratype.

Chrysopharmacis pulcher Lea. *Proc. Linn. Soc. N. S. Wales*, xxxix, 1915, p. 664. Paratype.

Cisowhitea intermedia Lea. *Trans. Roy. Soc. South Aust.*, lii, 1928, p. 114, fig. Paratypes.

Cossonus lethargicus Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 94. Holotype and Paratype.

Cubicorrhynchus rectipes Ferguson. *Trans. Roy. Soc. South Aust.*, xxxix, 1915, p. 82. Paratypes.

Decilaus medioalbus Lea. *Rec. South Aust. Mus.*, iv, 2, 1930, p. 246. Paratype.

nitidirostris Lea. *Id.*, iv, 2, 1930, p. 245. Paratype.

striatus Lea. *Trans. Roy. Soc. South Aust.*, xxxvii, 1913, p. 384. Paratype.

- Desiantha ferruginea* Lea. *Proc. Linn. Soc. N. S. Wales*, liii, 4, 1928, p. 376. Paratype.
foveata Lea. *Id.*, liii, 4, 1928, p. 378. Paratype.
lata Lea. *Id.*, liii, 4, 1928, p. 383. Paratype.
nociva Lea. *Trans. Roy. Soc. South Aust.*, xxxiii, 1909, p. 174. Paratype.
- Diethusa basipennis* Lea. *Id.*, lii, 1928, p. 142. Paratype.
inermis Lea. *Id.*, xxxvii, 1913, p. 191. Paratype.
insignata Elston. *Id.*, xliii, 1919, p. 346, f. 3. Holotype.
tuberculata Lea. *Ann. Mag. Nat. Hist.*, xv (8), 1915, p. 460. Paratype.
- Dyostines punctiventris* Blackburn. *Proc. Linn. Soc. N. S. Wales*, v (2), 1890, p. 319.
 Paratype ♀.
- Elleschodes eucalyptae* Lea. *Proc. Roy. Soc. Vic.*, xx (N.S.), 1907, p. 178. Paratypes.
Emplexis bifoveata Lea. *Trans. Roy. Soc. South Aust.*, li, 1927, p. 117. Paratypes.
costirostris Lea. *Id.*, li, 1927, p. 103. Paratype.
grisea Lea. *Id.*, li, 1927, p. 105. Paratypes.
leucophaea Lea. *Id.*, li, 1927, p. 109. Paratype.
masculina Lea. *Id.*, li, 1927, p. 118. Paratypes.
nigriclava Lea. *Id.*, li, 1927, p. 102. Paratype.
obliqua Lea. *Id.*, li, 1927, p. 111. Paratype.
ovalisticta Lea. *Id.*, li, 1927, p. 94. Paratypes.
suturalis Lea. *Id.*, li, 1927, p. 95. Paratype.
tibialis Lea. *Id.*, li, 1927, p. 110. Paratypes.
- Eniopea bivittata* Lea. *Jahrb. Wiss. Anst. Hamburg*, xxvi, 2, 1909, p. 196. Paratype.
viridisquama Lea. *Mem. Soc. Ent. Belg.*, xviii, 1911, p. 96. Paratype.
- Epacticus occidentalis* Lea. *Trans. Roy. Soc. South Aust.*, li, 1917, p. 595. Paratype.
Epamoebus ziczac Lea (*Emplexis*). *Fauna Südwest Aust.*, ii, 14, 1909, p. 226. Paratype.
Eristus blackburni Lea. *Mem. Soc. Ent. Belg.*, xviii, 1911, p. 99. Paratype.
inconstans Lea. *Id.*, xviii, 1911, p. 98. Paratype.
- Essolithna jonesi* Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 590. Paratype.
mediofusca Lea. *Id.*, xxxviii, 1914, p. 316. Paratype.
seriata Blackburn. *Id.*, xvi, 1892, p. 50. Paratypes.
- Eurychirus obtusatus* Lea. *Proc. Linn. Soc. N. S. Wales*, liv, 5, 1929, p. 534. Paratype.
Geochus howensis Lea. *Trans. Roy. Soc. South Aust.*, li, 1927, p. 167. Paratype.
Glaucopela nitidicola Lea. *Proc. Linn. Soc. N. S. Wales*, liii, 1928, p. 375. Paratypes.
Gonipterus inconspicuous Lea. *Proc. Roy. Soc. Vic.*, xxxix (N.S.), 1927, p. 102. Paratypes.
Gygaeus squamiventris Lea. *Trans. Roy. Soc. South Aust.*, xxxviii, 1913, p. 231.
 Paratype.
- Hibberticola echinata* Lea (*Elleschodes*). *Id.*, xxxii, 1908, p. 248. Paratype.
Idotasia montivaga Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 93. Holotype and Paratype.
squamigera Olliff. *Id.*, ii, 1889, p. 93. Holotype.
- Leptops browni* Lea. *Trans. Roy. Soc. South Aust.*, xl, 1916, p. 342, pl. xxxvii, f. 123–126.
 Paratype.
etheridgei Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 90, pl. vi, f. 5. Holotype.
rhizophagus Lea. *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 295. Paratype.
suturalis Lea. *Id.*, xl, 1916, p. 347. Paratype.
- Lybaeba pretiosa* Lea. *Mem. Soc. Ent. Belg.*, xviii, 1916, p. 109. Paratype.
- Mandalotus angustipennis* Lea. *Trans. Roy. Soc. South Aust.*, xxv, 1911, p. 72. Paratype.
auchmeresthes Lea. *Rec. South Aust. Mus.*, iii, 2, 1926, p. 167. Paratypes ♂ and ♀.
cinereus Lea. *Id.*, iv, 1931, p. 46. Holotype ♂.
insignipes Lea. *Rec. South Aust. Mus.*, iii, 1926, p. 172. Holotype and Paratype.
interocularis Lea. *Trans. Roy. Soc. South Aust.*, xxxv, 1911, p. 69. Paratypes ♂ and ♀.
latebricola Lea. *Rec. South Aust. Mus.*, iii, 2, 1926, p. 181. Paratype.
modicus Lea. *Trans. Roy. Soc. South Aust.*, iv, 1931, p. 47. Paratypes.

- Mandalotus postcoxalis* Lea. *Rec. South Aust. Mus.*, iii, 2, 1926, p. 185, f. 78k. Paratypes.
reticularinatus Lea. *Id.*, iii, 2, 1926, p. 175. Paratypes.
taylori Lea. *Trans. Roy. Soc. South Aust.*, xxxv, 1911, p. 67. Paratype.
- Mechistocerus multimaculatus* Lea. *Rec. South Aust. Mus.*, iv, 1, 1928, p. 49. Paratypes.
- Melanterius oleosus* Lea. *Trans. Roy. Soc. South Aust.*, lii, 1928, p. 121. Paratype.
semiporosus Lea. *Mem. Soc. Ent. Belg.*, xvi, 1908, p. 165. Paratype.
squamipennis Lea. *Trans. Roy. Soc. South Aust.*, lii, 1928, p. 118. Paratype.
- Merimnetes decipiens* Lea. *Id.*, xxxiv, 1910, p. 16. Paratype.
fagi Lea. *Id.*, xxxiv, 1910, p. 13. Paratype.
- Micraonychus casuarinae* Lea. *Ann. Mag. Nat. Hist.*, xv (8), 1915, p. 472. Paratype.
decipiens Lea. *Id.*, xv (8), 1915, p. 471. Paratypes.
- Microberosiris albus* Lea. *Trans. Roy. Soc. South Aust.*, xxxvii, 1913, p. 200. Paratype.
Microcryptorhynchus fasciculatus Lea. *Rec. South Aust. Mus.*, iv, 1, 1928, p. 86.
 Paratypes.
howensis Lea. *Id.*, iv, 1, 1928, p. 84. Paratypes.
norfolkensis Lea. *Id.*, iv, 1, 1928, p. 83. Paratype.
oreas Lea. *Id.*, iv, 1, 1928, p. 85. Paratype.
rufimanus Lea. *Id.*, iv, 1, 1928, p. 84. Paratypes.
- Misophrice amplipennis* Lea. *Trans. Roy. Soc. South Aust.*, xxxix, 1915, p. 673. Paratype.
dubia Lea. *Id.*, xxxviii, 1914, p. 341. Paratypes.
griffithi Lea. *Proc. Linn. Soc. N. S. Wales*, xxxix, 4, 1914 (1915), p. 674. Paratype.
inconstans Lea. *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 342. Paratypes.
nigripes Lea. *Id.*, xxx, 1906, p. 77. Paratype.
soror Lea. *Id.*, xxxviii, 1914, p. 339. Paratypes.
subvariabilis Lea. *Id.*, li, 1927, p. 151. Paratypes.
- Myllocerus ashi* Lea. *Id.*, xli, 1917, p. 586. Paratype.
chaunoderus Lea. *Proc. Linn. Soc. N. S. Wales*, 1, 4, 1925, p. 421. Paratypes.
herbivorus Lea. *Id.*, 1, 4, 1925, p. 423. Paratypes.
hoplosternus Lea. *Id.*, liv, 5, 1929, p. 525. Paratypes.
incurvus Lea. *Trans. Roy. Soc. South Aust.*, xxxiii, 1909, p. 147. Paratype.
nigrovarius Lea. *Id.*, xxxviii, 1914, p. 289. Paratype.
varius Lea. *Id.*, xxxviii, 1914, p. 286. Paratype.
- Notiosomus insularis* Lea. *Proc. Linn. Soc. N. S. Wales*, lii, 1927, p. 375. Paratypes.
- Othorhynchus vagus* Olliff. *Mem. Aust. Mus.*, ii, 1889, p. 91. Holotype.
- Oxyops alphabeticus* Lea. *Trans. Roy. Soc. South Aust.*, xli, 1917, p. 591. Paratype.
vacillans Lea. *Id.*, xli, 1917, p. 592. Paratype.
- Perissops ochraceonotatus* Lea. *Id.*, xxxvii, 1913, p. 201. Paratypes.
- Polyphrades brevis* Lea. *Mem. Soc. Ent. Belg.*, xvi, 1908, p. 133. Paratypes.
collaris Lea. *Trans. Roy. Soc. South Aust.*, xxxviii, 1914, p. 314. Paratype.
maestus Lea. *Id.*, xl, 1916, p. 355. Paratype.
marmoratus Lea. *Id.*, xxxviii, 1914, p. 315. Paratype.
subterraneus Lea. *Proc. Linn. Soc. N. S. Wales*, xli, 4, 1916, p. 734. Paratypes.
- Poropterus angustatus* Lea. *Id.*, 1897, p. 468. Paratype.
- Prophaesia alba* Lea. *Proc. Roy. Soc. Vic.*, xxxix (N.S.), 1927, p. 107. Paratype.
- Psolidura coxi* Macleay. *Trans. Ent. Soc. N. S. Wales*, i, 1865, p. 204. Holotype and Paratype.
falciformis Macleay. *Id.*, i, 1865, p. 213. Holotype ♀ and Allotype ♂.
helyi Macleay (= *P. mirabilis* Kirby, 1818). *Id.*, i, 1865, p. 213. Holotype and Paratype.
howitti Macleay (= *P. mirabilis* Kirby, 1818). *Id.*, i, 1865, p. 211. Holotype and Paratype.
intermedia Ferguson. *Proc. Roy. Soc. Vic.*, xxvi (N.S.), 1914, p. 246. Paratype.
mastersi Macleay. *Trans. Ent. Soc. N. S. Wales*, i, 1865, p. 214. Holotype.

- Psalidura miracula* Macleay. *Id.*, i, 1865, p. 205. Holotype.
mirafica Macleay (= *P. mira* Boheman, 1843). *Id.*, i, 1865, p. 206. Holotype.
mitchelli Macleay. *Id.*, i, 1865, p. 210. Holotype and Paratype.
montana Macleay. *Id.*, i, 1865, p. 209. Holotype and Paratype.
rufolineata Macleay. *Id.*, i, 1865, p. 203. Holotype.
- Rhamphus megalops* Lea. *Proc. Linn. Soc. N. S. Wales*, 1, 4, 1925, p. 427. Paratypes.
microscopicus Lea. *Id.*, 1, 4, 1925, p. 428. Paratype.
- Rhinaria carinirostris* Lea. *Id.*, liv, 5, 1929, p. 537. Paratypes.
- Roptopterus tasmaniensis* Lea. *Proc. Roy. Soc. Vic.*, xx (N.S.), 1907, p. 185. Paratype.
- Sclerorrhinella granuliceps* Ferguson. *Proc. Linn. Soc. N. S. Wales*, xxxviii, 1913, p. 391.
 Holotype.
- Synomis setipennis* Lea. *Ent. Mitt.*, xvi, 1927, p. 129. Paratypes.
- Talaurinus catenulatus* Macleay. *Trans. Ent. Soc. N. S. Wales*, i, 1865, p. 234. Holotype.
caviceps Macleay. *Id.*, i, 1866, p. 320. Holotype.
euomioides Macleay. *Id.*, i, 1865, p. 225. Holotype.
fergusoni Carter. *Trans. Roy. Soc. South Aust.*, lxi, 1937, p. 143. Holotype and
 Allotype.
- fossulatus* Ferguson. *Proc. Linn. Soc. N. S. Wales*, xxxviii, 1913, p. 368. Holotype.
gaydahensis Ferguson. *Id.*, xxxvii, 1912, p. 131, pl. ii, f. 8. Holotype.
humeralis Macleay. *Trans. Ent. Soc. N. S. Wales*, i, 1865, p. 224. Holotype.
impressicollis Macleay. *Id.*, i, 1865, p. 239. Holotype and Paratype.
incanescens Macleay Macleay, 1865, var. *muricatus* Macleay. *Id.*, i, 1866, p. 321.
 Holotype.
- irroratus* Ferguson. *Proc. Linn. Soc. N. S. Wales*, xxxviii, 1913, p. 361. Holotype.
pallidus Macleay. *Trans. Ent. Soc. N. S. Wales*, i, 1865, p. 223. Holotype.
papulosus Macleay. *Id.*, i, 1865, p. 222. Holotype.
parallelus Macleay. *Id.*, i, 1865, p. 224. Holotype.
parvus Ferguson. *Proc. Linn. Soc. N. S. Wales*, xxxvii, 1912, p. 110. Holotype.
pulverulentus Macleay. *Trans. Ent. Soc. N. S. Wales*, i, 1865, p. 223. Holotype and
 Paratype.
- scabrosus* Macleay. *Id.*, i, 1865, p. 235. Holotype and Paratype.
sphaerulatus Macleay. *Id.*, i, 1865, p. 235. Holotype.
squamosus Macleay. *Id.*, i, 1865, p. 219. Holotype.
tuberculatus Macleay. *Id.*, i, 1865, p. 233. Holotype.
variegatus Macleay. *Id.*, i, 1865, p. 218. Holotype.
- Tapinocis abundans* Lea. *Trans. Roy. Soc. South Aust.*, lii, 1928, p. 151. Paratypes.
- Timareta hamata* Lea. *Id.*, xlvii, 1922, p. 300, pl. xiii, f. 4. Paratype.
incisipes Lea. *Id.*, xlvii, 1922, p. 301, pl. xiii, f. 5. Paratype ♂.
xanthorhæ Lea. *Id.*, xxxiii, 1909, p. 155. Paratype.
- Tranes insignipes* Lea. *Proc. Linn. Soc. N. S. Wales*, liv, 5, 1929, p. 537. Paratype.
- Tychius horni* Lea. *Deut. Ent. Zeit.*, 1910, p. 515. Paratype.
- Tyrteosus flavinotatus* Lea. *Trans. Roy. Soc. South Aust.*, xxxvii, 1913, p. 203. Paratypes.
trianguliferus Lea. *Id.*, xxxvii, 1913, p. 330. Paratype.

TYPES OF EXTRA-AUSTRALIAN COLEOPTERA.

CARABIDÆ.

- Planetes unicolor* Macleay (*Pogonoglossus*). *Proc. Linn. Soc. N. S. Wales*, i (2), 1886,
 p. 137. Holotype.
- Stricklandia pericolloides* Macleay. *Id.*, i (2), 1886, p. 139. Holotype.

GYRINIDÆ.

- Enhydrus froggatti* Macleay (*Macrogyrus*). *Proc. Linn. Soc. N. S. Wales*, i (2), 1886,
 p. 141. Holotype.

HYDROPHILIDAE.

Nosodendron fijiense Lea. *Rec. South Aust. Mus.*, iv, 3, 1931, p. 376. Paratype.

BOSTRYCHIDAE.

Rhizopertha papuensis Macleay. *Proc. Linn. Soc. N. S. Wales*, i (2), 1886, p. 154. Holotype.

STAPHYLINIDAE.

Anomognathus debilis Cameron. *Rec. South Aust. Mus.*, iii, 3, 1927, p. 270. Paratype.
Apheloglossa pacifica Cameron. *Id.*, iii, 3, 1927, p. 268. Paratype.
Atheta fijiana Cameron. *Id.*, iii, 3, 1927, p. 271. Paratype.
Philonthus bicoloratus Cameron. *Id.*, iv, 3, 1931, p. 261. Paratype.
Silusa biplagiata Cameron. *Id.*, iii, 3, 1927, p. 270. Paratype.
Sternotropa brevicornis Cameron. *Id.*, iii, 3, 1927, p. 265. Paratype.
longicornis Cameron. *Id.*, iii, 3, 1927, p. 266. Paratypes.

LYCIDAE.

Calopteron amplipenne Macleay. *Proc. Linn. Soc. N. S. Wales*, i (2), 1886, p. 151. Holotype.
Carphurus cyaneipennis Macleay. *Id.*, i (2), 1886, p. 153. Holotype.
Metriorrhynchus infuscatus Macleay. *Id.*, i (2), 1886, p. 151. Holotype.
serricornis Macleay. *Id.*, i (2), 1886, p. 150. Holotype.
tenuis Macleay. *Id.*, i (2), 1886, p. 150. Holotype.
Trichalus apicalis Macleay. *Id.*, i (2), 1886, p. 152. Holotype.
pallidipennis Macleay. *Id.*, i (2), 1886, p. 152. Holotype.

TENEBRIONIDAE.

Asthosus vanheueni Gebien. *Ind. Or. Neerland. Mem. Mus. Roy. Hist. nat. Belg.*, Hors serie., iv, 11, 1935, p. 58, pl. f. 4. Paratype.
Allecula papuensis Macleay (*Ebenolus*). *Proc. Linn. Soc. N. S. Wales*, i (2), 1886, p. 156. Holotype and Paratype.
Amarygmus convexusculus Macleay (= *A. niger* Gebien, 1911). *Id.*, i (2), 1886, p. 156. Holotype.
inornatus Macleay (= *A. morio* Fabricius, 1781). *Id.*, i (2), 1886, p. 155. Holotype.
insignis Carter. *Id.*, iv, 5, 1930, p. 542. Paratypes.
morio Fabricius, 1781, var. *nigrocoeruleus* Gebien. *Nova Guinea, Zool.*, xiii, liv. 3, p. 412. Paratype.
oculeus Macleay. *Proc. Linn. Soc. N. S. Wales*, i (2), 1887, p. 156. Holotype.
puncticeps Macleay. *Id.*, i (2), 1887, p. 156. Holotype.
viridiaeneus Blair (*Platolenes*). *Proc. Zool. Soc. Lond.*, 1914, p. 19. Paratypes ♀.
Bradymerus semiasperatus Fairmaire. *Ann. Soc. Ent. Belg.*, xxvii, 1883, p. 24. Plesiotype.
Ceropria immaculata Gebien. *Nova Guinea, Zool.*, xiii, liv. 3, 1920, p. 256. Paratype.
Chariotheca litigiosa Pascoe. *Journ. Ent.*, i, 1860, p. 126. Plesiotype.
spectabilis Gebien. *Nova Guinea, Zool.*, xiii, liv. 3, 1920, p. 348. Paratype.
Diphyrrhynchus meligethoides Gebien. *Id.*, Zool., xiii, liv. 3, 1920, p. 226. Paratype.
Encyalesthus epistomaticus Gebien. *Id.*, Zool., xiii, liv. 3, 1920, p. 301. Paratype.
sinuatipes Gebien. *Id.*, Zool., xiii, liv. 3, 1920, p. 300. Paratype.
Nyctozoilus crenaticollis Macleay. *Proc. Linn. Soc. N. S. Wales*, i (2), 1887, p. 154. Holotype.
Orcopagia angustata Carter. *Id.*, lix, 3-4, 1934, p. 261. Holotype and Paratype.
Osdara plicicollis Fairmaire (*Bradymerus*). *Not. Leyd. Mus.*, xviii, 1896, p. 233. Plesiotype.

- Phenus latitarsis* Gebien. *Nova Guinea*, Zool., xiii, liv. 3, 1920, p. 326, pl. f. 19. Paratypes.
- Prophanes submetallicus* Macleay (*Pezophenes*). *Proc. Linn. Soc. N. S. Wales*, i (2), 1887, p. 154. Holotype.
- Pseudolytrops longiplicatus* Gebien. *Nova Guinea*, Zool., xiii, liv. 3, 1920, p. 315. Paratype.
- Setenis amplipennis* Gebien. *Id.*, Zool., xiii, liv. 3, 1920, p. 291, pl. ix, f. 14. Paratype.
- producta* Gebien. *Id.*, Zool., xiii, liv. 3, 1920, p. 293. Paratype.
- subfoveatus* Gebien. *Id.*, Zool., xiii, liv. 3, 1920, p. 289. Paratype.
- Uloma emarginata* Montrouzier, 1885, subsp. *hamata* Gebien. *Nova Guinea*, Zool., xiii, liv. 3, 1920, p. 274. Paratype.
- pachyderma* Gebien. *Ind. Or. Neerl. Mem. Mus. Roy. Hist. nat. Belg.*, Hors serie., iv, 11, 1935, p. 59, pl. f. 5. Paratype.

OEDEMERIDAE.

- Naceredes transmarina* Rainbow. *Mem. Aust. Mus.*, iii, 2, 1897, p. 92, pl. i, f. 6. Holotype and Paratype.

SCARABAEIDAE.

- Onthophagus oleipennis* Macleay. *Proc. Linn. Soc. N. S. Wales*, i (2), 1886, p. 145. Holotype.
- planiceps* Macleay. *Id.*, i (2), 1886, p. 145. Holotype and Paratype.
- reticollis* Macleay. *Id.*, i (2), 1886, p. 145. Holotype.

CERAMBYCIDAE.

- Aegomomus ornatus* Macleay. *Proc. Linn. Soc. N. S. Wales*, i (2), 1886, p. 197. Holotype and Paratype.
- Clytanthus angustulus* Macleay (*Chlorophorus*). *Id.*, i (2), 1886, p. 203. Holotype.
- Clytus velutinus* Macleay (*Xylotrechus*). *Id.*, i (2), 1886, p. 203. Holotype.
- Orinoeme rubricollis* Macleay. *Id.*, i (2), 1886, p. 199. Holotype and Paratype.
- Praonetha bizonata* Macleay. *Id.*, i (2), 1886, p. 198. Holotype.
- pallida* Macleay. *Id.*, i (2), 1886, p. 198. Holotype.
- Tmesisternus froggatti* Macleay. *Id.*, i (2), 1886, p. 200. Holotype and Paratype.
- lateralis* Macleay. *Id.*, i (2), 1886, p. 202. Holotype.
- lineatus* Macleay. *Id.*, i (2), 1886, p. 201. Holotype.

CURCULIONIDAE.

- Ampagia basicollis* Lea. *Trans. Ent. Soc. Lond.*, 1929, p. 190, pl. xvi, f. 22. Paratype.
- vitiensis* Lea. *Id.*, 1929, p. 191, pl. xvi, f. 23. Paratype.
- Deretiosus lateroalbus* Lea. *Rec. South Aust. Mus.*, iv, 1, 1928, p. 61. Paratype.
- Elytrurus squamatus* Rainbow (= *Trigonops spongicollis* Fairmaire). *Mem. Aust. Mus.*, iii, 2, 1897, p. 92, pl. i, f. 7. Holotype and Paratype.
- Idiotasia cribricollis* Lea. *Trans. Roy. Soc. South Aust.*, lii, 1928, p. 156. Paratype.
- Micryptorhynchus vitiensis* Lea. *Rec. South Aust. Mus.*, iv, 1, 1928, p. 89. Paratype.
- Pantoxystus cyaneus* Macleay. *Proc. Linn. Soc. N. S. Wales*, i (2), 1886, p. 189. Holotype.
- Storeus aurifer* Lea. *Mem. Qld. Mus.*, ix, 1, 1927, p. 59, f. 1, p. Paratype.
- minimus* Lea. *Id.*, ix, 1, 1927, p. 60, f. 1, q. Paratype.